

Bibliography

Preclinical microdialysis, published Jan- July 2013

[Group I metabotropic glutamate receptors in the medial prefrontal cortex: Role in mesocorticolimbic glutamate release in cocaine sensitization.](#)

Timmer KM, Steketee JD.

Synapse. 2013 Aug 1. doi: 10.1002/syn.21699. [Epub ahead of print]

[Cocaine-induced endocannabinoid release modulates behavioral and neurochemical sensitization in mice.](#)

Mereu M, Tronci V, Chun LE, Thomas AM, Green JL, Katz JL, Tanda G.

Addict Biol. 2013 Aug 4. doi: 10.1111/adb.12080. [Epub ahead of print]

[Prostaglandin E₂ and nitric oxide mediate the acute inflammatory \(erythematous\) response to topical 5-aminolevulinic acid-photodynamic therapy in human skin.](#)

Brooke RC, Sidhu M, Sinha A, Watson RE, Friedmann PS, Clough GF, Rhodes LE.

Br J Dermatol. 2013 Aug 2. doi: 10.1111/bjd.12562. [Epub ahead of print]

[Decline of lactate in tumor tissue after ketogenic diet: in vivo microdialysis study in patients with head and neck cancer.](#)

Schroeder U, Himpe B, Pries R, Vonthein R, Nitsch S, Wollenberg B.

Nutr Cancer. 2013;65(6):843-9. doi: 10.1080/01635581.2013.804579.

[Insulin-mediated suppression of lipolysis in adipose tissue and skeletal muscle of obese type 2 diabetic men and men with normal glucose tolerance.](#)

Jocken JW, Goossens GH, Boon H, Mason RR, Essers Y, Havekes B, Watt MJ, van Loon LJ, Blaak EE.

Diabetologia. 2013 Aug 2. [Epub ahead of print]

[Histamine H₃ receptor activation prevents dopamine D₁ receptor-mediated inhibition of dopamine release in the rat striatum: A microdialysis study.](#)

Alfaro-Rodriguez A, Alonso-Spilsbury M, Arch-Tirado E, Gonzalez-Pina R, Arias-Montaña JA, Bueno-Nava A.

Neurosci Lett. 2013 Jul 26. doi:pii: S0304-3940(13)00672-1. 10.1016/j.neulet.2013.07.026. [Epub ahead of print]

[The Hypocretin/Orexin Receptor-1 as a Novel Target to Modulate Cannabinoid Reward.](#)

Flores A, Maldonado R, Berrendero F.

Biol Psychiatry. 2013 Jul 26. doi:pii: S0006-3223(13)00590-8. 10.1016/j.biopsych.2013.06.012. [Epub ahead of print]

[Systemic tumor necrosis factor-alpha decreases brain stimulation reward and increases metabolites of serotonin and dopamine in the nucleus accumbens of mice.](#)

van Heesch F, Prins J, Korte-Bouws GA, Westphal KG, Lemstra S, Olivier B, Kraneveld AD, Korte SM.

Behav Brain Res. 2013 Jul 26. doi:pii: S0166-4328(13)00437-3. 10.1016/j.bbr.2013.07.038. [Epub ahead of print]

[S-\(N, N-diethylcarbamoyl\)glutathione \(Carbamathione\), a Disulfiram Metabolite and its Effect on Nucleus Accumbens and Prefrontal Cortex Dopamine, GABA, and Glutamate: A Microdialysis Study.](#)

Faiman MD, Kaul S, Latif SA, Williams TD, Lunte CE.

Neuropharmacology. 2013 Jul 25. doi:pii: S0028-3908(13)00324-9. 10.1016/j.neuropharm.2013.07.007. [Epub ahead of print]

[Pharmacologic modulation of cerebral metabolic derangement and excitotoxicity in a porcine model of traumatic brain injury and hemorrhagic shock.](#)

Hwabejire JO, Jin G, Imam AM, Duggan M, Sillesen M, Deperalta D, Jepsen CH, Lu J, Li Y, Demoya MA, Alam HB.
Surgery. 2013 Aug;154(2):234-43. doi: 10.1016/j.surg.2013.04.008.

[Pharmacological characterization of a novel centrally permeable P2X7 receptor antagonist: JNJ-47965567.](#)

Bhattacharya A, Wang Q, Ao H, Shoblock JR, Lord B, Aluisio L, Fraser I, Nepomuceno D, Neff RA, Welty N, Lovenberg TW, Bonaventure P, Wickenden AD, Letavic MA.
Br J Pharmacol. 2013 Jul 25. doi: 10.1111/bph.12314. [Epub ahead of print]

[Amphetamine stimulates movement through thalamocortical glutamate release.](#)

Mabrouk OS, Semaan DZ, Mikelman S, Gnegy ME, Kennedy RT.
J Neurochem. 2013 Jul 26. doi: 10.1111/jnc.12378. [Epub ahead of print]

[\[Effects of echinacoside on extracellular acetylcholine and choline levels of hippocampus and striatum of cerebral ischemia rats\].](#)

Liu CL, Chen H, Jiang Y, Tu PF, Zhong M, Ma JY, Ding H, Zhang WX, Jin XM.
Yao Xue Xue Bao. 2013 May;48(5):790-3. Chinese.

[Chronic Widespread Pain: Increased Glutamate and Lactate Concentrations in the Trapezius Muscle and Plasma.](#)

Gerdle B, Larsson B, Forsberg F, Ghafouri N, Karlsson L, Stensson N, Ghafouri B.
Clin J Pain. 2013 Jul 24. [Epub ahead of print]

[Depletion of myocardial glucose is observed during endotoxaemic but not haemorrhagic shock in a porcine model.](#)

Chew MS, Shekar K, Brand BA, Norin C, Barnett AG.
Crit Care. 2013 Jul 25;17(4):R164. [Epub ahead of print]

[LC/MS/MS analysis of the endogenous dimethyltryptamine hallucinogens, their precursors, and major metabolites in rat pineal gland microdialysate.](#)

Barker SA, Borjigin J, Lomnicka I, Strassman R.
Biomed Chromatogr. 2013 Jul 23. doi: 10.1002/bmc.2981. [Epub ahead of print]

[Subanesthetic Doses of Ketamine Transiently Decrease Serotonin Transporter Activity: A PET Study in Conscious Monkeys.](#)

Yamamoto S, Ohba H, Nishiyama S, Harada N, Kakiuchi T, Tsukada H, Domino EF.
Neuropsychopharmacology. 2013 Jul 24. doi: 10.1038/npp.2013.176. [Epub ahead of print]

[Selective serotonin 2A receptor antagonism attenuates the effects of amphetamine on arousal and dopamine overflow in non-human primates.](#)

Murnane KS, Andersen ML, Rice KC, Howell LL.
J Sleep Res. 2013 Mar 21. doi: 10.1111/jsr.12045. [Epub ahead of print]

[Effects of VMAT2 inhibitors lobeline and GZ-793A on methamphetamine-induced changes in dopamine release, metabolism and synthesis in vivo.](#)

Meyer AC, Neugebauer NM, Zheng G, Crooks PA, Dwoskin LP, Bardo MT.
J Neurochem. 2013 Jul 22. doi: 10.1111/jnc.12373. [Epub ahead of print]

[Neuromonitoring with microdialysis in severe traumatic brain injury patients.](#)

Sanchez JJ, Bidot CJ, O'Phelan K, Gajavelli S, Yokobori S, Olvey S, Jagid J, Garcia JA, Nemeth Z, Bullock R.
Acta Neurochir Suppl. 2013;118:223-7. doi: 10.1007/978-3-7091-1434-6_42.

[Cortical damage following traumatic brain injury evaluated by iomazenil SPECT and in vivo microdialysis.](#)

Koizumi H, Fujisawa H, Suehiro E, Iwanaga H, Nakagawara J, Suzuki M.
Acta Neurochir Suppl. 2013;118:121-3. doi: 10.1007/978-3-7091-1434-6_21.

[\$\beta\$ -Adrenoceptors in the hypothalamic paraventricular nucleus modulate the baroreflex in conscious rats.](#)

Wang D, Feng H, Li YS, Qiu DL, Jin H, Jin QH.
Neurosci Lett. 2013 Jul 16. doi:pii: S0304-3940(13)00637-X. 10.1016/j.neulet.2013.07.005. [Epub ahead of print]

[Oral sapropterin augments reflex vasoconstriction in aged human skin through noradrenergic mechanisms.](#)

Stanhewicz AE, Alexander LM, Kenney WL.
J Appl Physiol. 2013 Jul 18. [Epub ahead of print]

[Brain microdialysate, CSF and plasma pharmacokinetics of ligustrazine hydrochloride in rats after intranasal and intravenous administration.](#)

Wang Q, Tang Z, Zhang W.
Biopharm Drug Dispos. 2013 Jul 18. doi: 10.1002/bdd.1854. [Epub ahead of print]

[Levels of heroin and its metabolites in blood and brain extracellular fluid after intravenous heroin administration to freely moving rats.](#)

Gottås A, Oiestad EL, Boix F, Vindenes V, Ripel A, Thaulow CH, Mørland J.
Br J Pharmacol. 2013 Jul 18. doi: 10.1111/bph.12305. [Epub ahead of print]

[Evidence-based cerebral vasospasm surveillance.](#)

Kistka H, Dewan MC, Mocco J.
Neurol Res Int. 2013;2013:256713. doi: 10.1155/2013/256713. Epub 2013 Jun 3.

[Bedside Diagnosis of Mitochondrial Dysfunction After Malignant Middle Cerebral Artery Infarction.](#)

Nielsen TH, Schalén W, Ståhl N, Toft P, Reinstrup P, Nordström CH.
Neurocrit Care. 2013 Jul 17. [Epub ahead of print]

[Adenosine A_{2A} receptor contributes to ischemic brain damage in newborn piglet.](#)

Yang ZJ, Wang B, Kwansa H, Heitmiller KD, Hong G, Carter EL, Jamrogowicz JL, Larson AC, Martin LJ, Koehler RC.
J Cereb Blood Flow Metab. 2013 Jul 17. doi: 10.1038/jcbfm.2013.117. [Epub ahead of print]

[A comparison of extracellular excitatory amino acids release inhibition of acute lamotrigine and topiramate treatment in the hippocampus of PTZ-kindled epileptic rats.](#)

Deng Y, Wang M, Jiang L, Ma C, Xi Z, Li X, He N.
J Biomed Nanotechnol. 2013 Jun;9(6):1123-8.

[Emerging trends in in vivo neurochemical monitoring by microdialysis.](#)

Kennedy RT.
Curr Opin Chem Biol. 2013 Jul 12. doi:pii: S1367-5931(13)00114-2. 10.1016/j.cbpa.2013.06.012. [Epub ahead of print]

[Brain extracellular branched-chain amino acids in medically refractory localization-related epilepsy.](#)

Ong C, Damisah E, Haldeman C, Eid T, Spencer D.
Neurosurgery. 2013 Aug;60 Suppl 1:166. doi: 10.1227/01.neu.0000432730.18532.a2.

[Neurodegeneration after transient brain ischemia in aged mice: Beneficial effects of bilobalide.](#)

Schwarzkopf TM, Koch KA, Klein J.

Brain Res. 2013 Jul 11. doi:pii: S0006-8993(13)00952-9. 10.1016/j.brainres.2013.07.003. [Epub ahead of print]

[Monitoring of hydrogen peroxide and other reactive oxygen and nitrogen species generated by skeletal muscle.](#)

Jackson MJ.

Methods Enzymol. 2013;528:279-300. doi: 10.1016/B978-0-12-405881-1.00017-3.

[Beyond intracranial pressure: optimization of cerebral blood flow, oxygen, and substrate delivery after traumatic brain injury.](#)

Bouzat P, Sala N, Payen JF, Oddo M.

Ann Intensive Care. 2013 Jul 10;3(1):23. doi: 10.1186/2110-5820-3-23.

[GABA_A receptors implicated in REM sleep control express a benzodiazepine binding site.](#)

Nguyen TQ, Liang CL, Marks GA.

Brain Res. 2013 Jul 5. doi:pii: S0006-8993(13)00923-2. 10.1016/j.brainres.2013.06.037. [Epub ahead of print]

[Microfluidic Chip-Based Online Electrochemical Detecting System for Continuous and Simultaneous Monitoring of Ascorbate and Mg₂₊ in Rat Brain.](#)

Gao X, Yu P, Wang Y, Ohsaka T, Ye J, Mao L.

Anal Chem. 2013 Jul 19. [Epub ahead of print]

[In vivo dialysis setup with a loop injection valve facilitates retrodialysis studies.](#)

Thrivikraman KV, Kinkead B, Murray KE, Owens MJ.

J Pharmacol Toxicol Methods. 2013 Jul 4;68(2):217-224. doi: 10.1016/j.vascn.2013.06.002. [Epub ahead of print]

[Monitoring of \$\beta\$ -Amyloid Dynamics after Human Traumatic Brain Injury.](#)

Marklund N, Farrokhnia N, Hånell A, Vanmechelen E, Enblad P, Zetterberg H, Blennow K, Hillered L.

J Neurotrauma. 2013 Jul 7. [Epub ahead of print]

[Effects of medullary administration of a nitric oxide precursor on cardiovascular responses and neurotransmission during static exercise following ischemic stroke.](#)

Phattanarudee S, Towiwat P, Maher TJ, Ally A.

Can J Physiol Pharmacol. 2013 Jul;91(7):510-20. doi: 10.1139/cjpp-2013-0066. Epub 2013 Mar 18.

[Determination of Serotonin and Dopamine Metabolites in Human Brain Microdialysis and Cerebrospinal Fluid Samples by UPLC-MS/MS: Discovery of Intact Glucuronide and Sulfate Conjugates.](#)

Suominen T, Uutela P, Ketola RA, Bergquist J, Hillered L, Finel M, Zhang H, Laakso A, Kostiaainen R.

PLoS One. 2013 Jun 27;8(6):e68007. Print 2013.

[Role of glutamate receptors and nitric oxide on the effects of glufosinate ammonium, an organophosphate pesticide, on in vivo dopamine release in rat striatum.](#)

Ferreira Faro LR, Ferreira Nunes BV, Alfonso M, Moraes Ferreira VM, Durán R.

Toxicology. 2013 Jun 28. doi:pii: S0300-483X(13)00163-7. 10.1016/j.tox.2013.06.008. [Epub ahead of print]

[Microdialysis in the neurocritical care unit.](#)

Kitagawa R, Yokobori S, Mazzeo AT, Bullock R.

Neurosurg Clin N Am. 2013 Jul;24(3):417-26. doi: 10.1016/j.nec.2013.02.002. Epub 2013 Apr 9.

[Global Ethanol-Induced Enhancements of Monoaminergic Neurotransmission: A Meta-Analysis Study.](#)

Brand I, Fliegel S, Spanagel R, Noori HR.
Alcohol Clin Exp Res. 2013 Jun 28. doi: 10.1111/acer.12207. [Epub ahead of print]

[Systemic and cerebral exposure to and pharmacokinetics of flavonols and terpene lactones after dosing standardized Ginkgo biloba leaf extracts to rats via different routes of administration.](#)

Chen F, Li L, Xu F, Sun Y, Du F, Ma X, Zhong C, Li X, Wang F, Zhang N, Li C.
Br J Pharmacol. 2013 Jun 28. doi: 10.1111/bph.12285. [Epub ahead of print]

[Amyloid- \$\beta\$ Peptides and Tau Protein as Biomarkers in Cerebrospinal and Interstitial Fluid Following Traumatic Brain Injury: A Review of Experimental and Clinical Studies.](#)

Tsitsopoulos PP, Marklund N.
Front Neurol. 2013 Jun 26;4:79. doi: 10.3389/fneur.2013.00079. Print 2013.

[Oral clopidogrel improves cutaneous microvascular function through EDHF-dependent mechanisms in middle-age humans.](#)

Dahmus JD, Bruning RS, Kenney WL, Alexander LM.
Am J Physiol Regul Integr Comp Physiol. 2013 Jun 26. [Epub ahead of print]

[Association Between the Cerebral Inflammatory and Matrix Metalloproteinase Responses After Severe Traumatic Brain Injury in Humans.](#)

Roberts DJ, Jenne CN, Leger C, Kramer AH, Gallagher CN, Todd S, Parney IF, Doig CJ, Yong VW, Kubus P, Zygun D.
J Neurotrauma. 2013 Jun 25. [Epub ahead of print]

[Microdialysis sampling coupled to microchip electrophoresis with integrated amperometric detection on an all-glass substrate.](#)

Scott DE, Grigsby RJ, Lunte SM.
Chemphyschem. 2013 Jul 22;14(10):2288-94. doi: 10.1002/cphc.201300449. Epub 2013 Jun 21.

[Exposure to high fat during early development impairs adaptations in dopamine and neuroendocrine responses to repeated stress.](#)

Naef L, Gratton A, Walker CD.
Stress. 2013 Jun 20. [Epub ahead of print]

[\$\beta\$ -Arrestin 2 knockout mice exhibit sensitized dopamine release and increased reward in response to a low dose of alcohol.](#)

Björk K, Tronci V, Thorsell A, Tanda G, Hirth N, Heilig M, Hansson AC, Sommer WH.
Psychopharmacology (Berl). 2013 Jun 19. [Epub ahead of print]

[In vivo induction of P-glycoprotein expression at the mouse blood-brain barrier: an intracerebral microdialysis study.](#)

Chan GN, Saldivia V, Yang Y, Pang H, de Lannoy I, Bendayan R.
J Neurochem. 2013 Jun 18. doi: 10.1111/jnc.12344. [Epub ahead of print]

[Dynamic detection of non-protein-bound strychnine and brucine in rabbit muscle and synovial fluid after topical application of total Strychnos alkaloid patches.](#)

Tang H, Yan M, Li H, Xun T, Deng Y, Zhao Y, Deng L.
Drug Test Anal. 2013 Jun 17. doi: 10.1002/dta.1493. [Epub ahead of print]

[Lower anxiogenic effects of serotonin agonists are associated with lower activation of amygdala and lateral orbital cortex in adolescent male rats.](#)

Arrant AE, Coburn E, Jacobsen J, Kuhn CM.
Neuropharmacology. 2013 Jun 15;73C:359-367. doi: 10.1016/j.neuropharm.2013.05.030. [Epub ahead of print]

[Real-time clinical monitoring of biomolecules.](#)

Rogers ML, Boutelle MG.

Annu Rev Anal Chem (Palo Alto Calif). 2013 Jun 12;6(1):427-53. doi: 10.1146/annurev.anchem.111808.073648.

[Acquisition of MDMA self-administration: pharmacokinetic factors and MDMA-induced serotonin release.](#)

Bradbury S, Bird J, Colussi-Mas J, Mueller M, Ricaurte G, Schenk S.

Addict Biol. 2013 Jun 14. doi: 10.1111/adb.12069. [Epub ahead of print]

[Effect of extraluminal ATP application on vascular tone and blood flow in skeletal muscle: implications for exercise hyperemia.](#)

Nyberg M, Al-Khazraji BK, Mortensen SP, Jackson DN, Ellis CG, Hellsten Y.

Am J Physiol Regul Integr Comp Physiol. 2013 Jun 12. [Epub ahead of print]

[Monitoring serotonin signaling on a subsecond time scale.](#)

Dankoski EC, Wightman RM.

Front Integr Neurosci. 2013 Jun 5;7:44. doi: 10.3389/fnint.2013.00044. Print 2013.

[Cerebral microdialysis reflects the neuroprotective effect of fractionated plasma separation and adsorption in acute liver failure better and earlier than intracranial pressure: a controlled study in pigs.](#)

Prazak J, Laszikova E, Pantoflicek T, Ryska O, Koblihova E, Ryska M.

BMC Gastroenterol. 2013 Jun 8;13:98. doi: 10.1186/1471-230X-13-98.

[Glucose and Lactate Metabolism in Well-Perfused and Compromised Microvascular Flaps.](#)

Setala L, Gudaviciene D.

J Reconstr Microsurg. 2013 Jun 11. [Epub ahead of print]

[Retrodialysis: a review of experimental and clinical applications of reverse microdialysis in the skin.](#)

Melgaard L, Hersini KJ, Gazerani P, Petersen LJ.

Skin Pharmacol Physiol. 2013;26(3):160-74. doi: 10.1159/000351341. Epub 2013 Jun 6.

[The pharmacokinetics of letrozole in brain and brain tumor in rats with orthotopically implanted C6 glioma, assessed using intracerebral microdialysis.](#)

Dave N, Gudelsky GA, Desai PB.

Cancer Chemother Pharmacol. 2013 Aug;72(2):349-57. doi: 10.1007/s00280-013-2205-y. Epub 2013 Jun 9.

[Monitoring molecules in neuroscience: historical overview and current advancements.](#)

Kehr J, Yoshitake T.

Front Biosci (Elite Ed). 2013 Jun 1;5:947-54.

[Recent evidence for rapid synthesis and action of estrogens during auditory processing in a songbird.](#)

Remage-Healey L, Jeon SD, Joshi NR.

J Neuroendocrinol. 2013 Jun 8. doi: 10.1111/jne.12055. [Epub ahead of print]

[Oral sapropterin acutely augments reflex vasodilation in aged human skin through nitric oxide-dependent mechanisms.](#)

Stanhewicz AE, Alexander LM, Kenney WL.

J Appl Physiol. 2013 Jun 6. [Epub ahead of print]

[Short-term acetaminophen consumption enhances the exercise-induced increase in Achilles peritendinous IL-6 in humans.](#)

Gump BS, McMullan DR, Cauthon DJ, Whitt JA, Del Mundo JD, Letham T, Kim PJ, Friedlander GN, Pingel J, Langberg H, Carroll CC.

J Appl Physiol. 2013 Jun 6. [Epub ahead of print]

[Up-dosing with bilastine results in improved effectiveness in cold contact urticaria.](#)

Krause K, Spohr A, Zuberbier T, Church MK, Maurer M.
Allergy. 2013 Jul;68(7):921-8. doi: 10.1111/all.12171. Epub 2013 Jun 6.

[Transient changes in the endocannabinoid system after acute and chronic ethanol exposure and abstinence in the rat: a combined PET and microdialysis study.](#)

Ceccarini J, Casteels C, Koole M, Bormans G, Van Laere K.
Eur J Nucl Med Mol Imaging. 2013 Jun 6. [Epub ahead of print]

[Is there any association between cerebral vasoconstriction/vasodilatation and microdialysis lactate to pyruvate ratio increase?](#)

Asgari S, Vespa P, Hu X.
Neurocrit Care. 2013 Aug;19(1):56-64. doi: 10.1007/s12028-013-9821-6.

Select item 23725031 71.

[A Prospective Evaluation of the Temporal Matrix Metalloproteinase Response After Severe Traumatic Brain Injury in Humans.](#)

Roberts DJ, Jenne CN, Leger C, Kramer AH, Gallagher CN, Todd S, Parney IF, Doig CJ, Yong VW, Kubes P, Zygun D.
J Neurotrauma. 2013 May 31. [Epub ahead of print]

[\[Pharmacokinetics of ferulic acid in transdermal delivery\].](#)

Bai J, Lu Y, Du SY, Liu CM.
Zhongguo Zhong Yao Za Zhi. 2013 Mar;38(5):743-7. Chinese.

[\[Pharmacokinetics of tramadol hydrochloride in the extracellular fluid of mouse frontal cortex studied by in vivo microdialysis\].](#)

Ma ZQ, Tao F, Fang H, Xu T, Hong ZY.
Yao Xue Xue Bao. 2013 Mar;48(3):406-10. Chinese.

[Effect of Thunbergia laurifolia extract on extracellular dopamine level in rat nucleus accumbens.](#)

Thongsaard W, Marsden C.
J Med Assoc Thai. 2013 Jan;96 Suppl 1:S85-9.

[Resuscitation from experimental traumatic brain injury by magnolol therapy.](#)

Wang CC, Lin KC, Lin BS, Chio CC, Kuo JR.
J Surg Res. 2013 May 17. doi:pii: S0022-4804(13)00432-0. 10.1016/j.jss.2013.04.059. [Epub ahead of print]

[Pharmacological Characterisation of a Structurally Novel \$\alpha_{2C}\$ -Adrenoceptor Antagonist ORM-10921 and its Effects in Neuropsychiatric Models.](#)

Sallinen J, Holappa J, Koivisto A, Kuokkanen K, Chapman H, Lehtimäki J, Piepponen P, Mijatovic J, Tanila H, Virtanen R, Sirviö J, Haapalinna A.
Basic Clin Pharmacol Toxicol. 2013 May 30. doi: 10.1111/bcpt.12090. [Epub ahead of print]

[\[Analgesic effect of sinomenine on SSNI model rats and monoamine neurotransmitters in striatal extracellular fluid\].](#)

Zhang MY, Li P, Wang DQ, Niu XH, Wang Y, Wang ZG, Zhang Y, Xu S, Xu XJ.
Zhongguo Zhong Yao Za Zhi. 2013 Feb;38(4):597-604. Chinese.

[\[Study on chitosan-modified tripterygium glycoside nanoparticles and its renal targeting property\].](#)

Chen XK, Wei YH, Yao JN, Zhao YM, Shang XG, Li FZ.

[Investigation of the effect of active efflux at the blood-brain barrier on the distribution of nonsteroidal aromatase inhibitors in the central nervous system.](#)

Miyajima M, Kusuvara H, Takahashi K, Takashima T, Hosoya T, Watanabe Y, Sugiyama Y. J Pharm Sci. 2013 May 27. doi: 10.1002/jps.23600. [Epub ahead of print]

[Sympathetic afferent stimulation inhibits central vagal activation induced by intravenous medetomidine in rats.](#)

Kawada T, Akiyama T, Shimizu S, Kamiya A, Uemura K, Turner MJ, Shirai M, Sugimachi M. Acta Physiol (Oxf). 2013 May 25. doi: 10.1111/apha.12123. [Epub ahead of print]

[Subcellular localization and mechanism of secretion of vascular endothelial growth factor in human skeletal muscle.](#)

Hoier B, Prats C, Qvortrup K, Pilegaard H, Bangsbo J, Hellsten Y. FASEB J. 2013 May 24. [Epub ahead of print]

[Palmitoylethanolamide and stearoylethanolamide levels in the interstitium of the trapezius muscle of women with chronic widespread pain and chronic neck-shoulder pain correlate with pain intensity and sensitivity.](#)

Ghafouri N, Ghafouri B, Larsson B, Stensson N, Fowler CJ, Gerdle B. Pain. 2013 May 14. doi:pii: S0304-3959(13)00225-X. 10.1016/j.pain.2013.05.002. [Epub ahead of print]

[Microdialysis monitoring of a craniofacial microvascular free flap reconstruction detected critical brain swelling.](#)

Allen WN, King A, Blackburn TK. Br J Neurosurg. 2013 May 25. [Epub ahead of print]

[Protection against myocardial ischemia-reperfusion injury at onset of type 2 diabetes in Zucker diabetic fatty rats is associated with altered glucose oxidation.](#)

Povlsen JA, Løfgren B, Dalgas C, Birkler RI, Johannsen M, Støttrup NB, Bøtker HE. PLoS One. 2013 May 21;8(5):e64093. doi: 10.1371/journal.pone.0064093. Print 2013.

[Cholinergic basal forebrain structures are involved in the mediation of the arousal effect of noradrenaline.](#)

Lelkes Z, Porkka-Heiskanen T, Stenberg D. J Sleep Res. 2013 May 24. doi: 10.1111/jsr.12061. [Epub ahead of print]

[Capturing the aversive state of cephalic pain preclinically.](#)

De Felice M, Eyde N, Dodick D, Dussor GO, Ossipov MH, Fields HL, Porreca F. Ann Neurol. 2013 May 18. doi: 10.1002/ana.23922. [Epub ahead of print]

[Oral L-Citrulline administration improves memory deficits following transient brain ischemia through cerebrovascular protection.](#)

Yabuki Y, Shioda N, Yamamoto Y, Shigano M, Kumagai K, Morita M, Fukunaga K. Brain Res. 2013 Jul 3;1520:157-67. doi: 10.1016/j.brainres.2013.05.011. Epub 2013 May 16.

[State-dependent contribution of the hyperpolarization-activated Na⁺/K⁺ and persistent Na⁺ currents to respiratory rhythmogenesis in vivo.](#)

Montandon G, Horner RL. J Neurosci. 2013 May 15;33(20):8716-28. doi: 10.1523/JNEUROSCI.5066-12.2013.

[Cocaine potentiates MDMA-induced oxidative stress but not dopaminergic neurotoxicity in mice: implications for the pathogenesis of free radical-induced neurodegenerative disorders.](#)

Peraile I, Granado N, Torres E, Gutiérrez-López MD, Moratalla R, Colado MI, O'Shea E. Psychopharmacology (Berl). 2013 May 17. [Epub ahead of print]

[Diurnal variation of phenylalanine and tyrosine concentrations in adult patients with phenylketonuria: subcutaneous microdialysis is no adequate tool for the determination of amino acid concentrations.](#)

Grünert SC, Brichta CM, Krebs A, Clement HW, Rauh R, Fleischhaker C, Hennighausen K, Sass JO, Schwab KO.

Nutr J. 2013 May 14;12:60. doi: 10.1186/1475-2891-12-60.

[Reinstatement of nicotine seeking is mediated by glutamatergic plasticity.](#)

Gipson CD, Reissner KJ, Kupchik YM, Smith AC, Stankeviciute N, Hensley-Simon ME, Kalivas PW.

Proc Natl Acad Sci U S A. 2013 May 28;110(22):9124-9. doi: 10.1073/pnas.1220591110. Epub 2013 May 13.

[P-glycoprotein Inhibition Increases the Brain Distribution and Antidepressant-Like Activity of Escitalopram in Rodents.](#)

O'Brien FE, O'Connor RM, Clarke G, Dinan TG, Griffin BT, Cryan JF.

Neuropsychopharmacology. 2013 May 14. doi: 10.1038/npp.2013.120. [Epub ahead of print]

[Acute and subchronic treatments with selective serotonin reuptake inhibitors increase Nociceptin/Orphanin FQ \(NOP\) receptor density in the rat dorsal raphe nucleus; interactions between nociceptin/NOP system and serotonin.](#)

Le Maître E, Dourmap N, Vilpoux C, Leborgne R, Janin F, Bonnet JJ, Costentin J, Leroux-Nicollet I.

Brain Res. 2013 Jul 3;1520:51-60. doi: 10.1016/j.brainres.2013.05.005. Epub 2013 May 10.

[\[Study on in vitro/in vivo correlation of extracts from Ligusticum chuanxiong after transdermal administration\].](#)

Bai J, Lu Y, Du SY, Liu CM, Li Y, Li PY.

Zhongguo Zhong Yao Za Zhi. 2013 Feb;38(3):422-6. Chinese.

[LC-MS/MS method for the quantification of almotriptan in dialysates: application to rat brain and blood microdialysis study.](#)

Nirogi R, Ajjala DR, Kandikere V, Aleti R, Pantangi HR, Srikakolapu SR, Benade V, Bhyrapuneni G, Vurimindi H.

J Pharm Biomed Anal. 2013 Jul-Aug;81-82:160-7. doi: 10.1016/j.jpba.2013.04.008. Epub 2013 Apr 16.

[Synergistic, but not separate, stimulation of accumbal \$\beta_1\$ - and \$\beta_2\$ -adrenoceptors alters the accumbal dopamine efflux in freely moving rats.](#)

Aono Y, Saigusa T, Taguchi H, Uchida T, Takada K, Koshikawa N, Cools AR.

Eur J Pharmacol. 2013 May 9. doi:pii: S0014-2999(13)00340-3. 10.1016/j.ejphar.2013.04.035. [Epub ahead of print]

[Up-regulation of monoamine oxidase activity in the striatum of rats following chronic treatment of thienorphine.](#)

Yong Z, Yan L, Wang X, Su R, Gong Z.

Eur J Pharmacol. 2013 Aug 5;713(1-3):44-6. doi: 10.1016/j.ejphar.2013.04.041. Epub 2013 May 9.

[Continuous on-line glucose measurement by microdialysis in a central vein. A pilot study.](#)

Blixt C, Rooyackers O, Isaksson B, Wernerman J.

Crit Care. 2013 May 11;17(3):R87. [Epub ahead of print]

[Topical anaesthesia does not affect cutaneous vasomotor or sudomotor responses in human skin.](#)

Metzler-Wilson K, Wilson TE.

Auton Autacoid Pharmacol. 2013 May 13. doi: 10.1111/aap.12007. [Epub ahead of print]

[Intrathecal glutamate release during hindlimb tourniquet inflation and femoral artery occlusion in rats.](#)

Cherng CH, Wong CS, Wu CT, Yeh CC.

J Formos Med Assoc. 2013 May;112(5):259-62. doi: 10.1016/j.jfma.2012.02.010. Epub 2012 Jun 1.

[Effects of IV iron isomaltoside-1000 treatment on regional brain iron status in an iron-deficient animal.](#)

Unger EL, Earley CJ, Thomsen LL, Jones BC, Allen RP.

Neuroscience. 2013 Aug 29;246:179-85. doi: 10.1016/j.neuroscience.2013.04.049. Epub 2013 May 7.

[Microdialysis in equine research: A review of clinical and experimental findings.](#)

Sørensen MA, Jacobsen S, Petersen LJ.

Vet J. 2013 May 6. doi:pii: S1090-0233(13)00151-2. 10.1016/j.tvjl.2013.03.033. [Epub ahead of print]

[Chronic Interferon- \$\alpha\$ Decreases Dopamine 2 Receptor Binding and Striatal Dopamine Release in Association with Anhedonia-Like Behavior in Nonhuman Primates.](#)

Felger JC, Mun J, Kimmel HL, Nye JA, Drake DF, Hernandez CR, Freeman AA, Rye DB, Goodman MM, Howell LL, Miller AH.

Neuropsychopharmacology. 2013 May 9. doi: 10.1038/npp.2013.115. [Epub ahead of print]

[Differential mechanisms underlie the regulation of serotonergic transmission in the dorsal and median raphe nuclei by mirtazapine: a dual probe microdialysis study.](#)

Fukuyama K, Tanahashi S, Hamaguchi T, Nakagawa M, Shiroyama T, Motomura E, Okada M.

Psychopharmacology (Berl). 2013 May 9. [Epub ahead of print]

[\[Measurement and data analysis of drug concentrations at the target site--potentials, limitations and fields of application\].](#)

Schäftlein A, el Talia M, Kloft C.

Med Monatsschr Pharm. 2013 Apr;36(4):147-51. Review. German.

[Exercise training improves cutaneous microvascular function in nonalcoholic fatty liver disease.](#)

Pugh CJ, Cuthbertson DJ, Sprung VS, Kemp GJ, Richardson P, Margot Umpleby A, Green DJ, Timothy Cable N, Jones H.

Am J Physiol Endocrinol Metab. 2013 Jul;305(1):E50-8. doi: 10.1152/ajpendo.00055.2013. Epub 2013 May 7.

[Botulinum toxin A and B raise blood flow and increase survival of critically ischemic skin flaps.](#)

Schweizer DF, Schweizer R, Zhang S, Kamat P, Contaldo C, Rieben R, Eberli D, Giovanoli P, Erni D, Plock JA.

J Surg Res. 2013 Apr 24. doi:pii: S0022-4804(13)00347-8. 10.1016/j.jss.2013.04.004. [Epub ahead of print]

[Relationship between noradrenaline release in the locus coeruleus and antiallodynic efficacy of analgesics in rats with painful diabetic neuropathy.](#)

Suehiro K, Funao T, Fujimoto Y, Yamada T, Mori T, Nishikawa K.

Life Sci. 2013 Jun 21;92(23):1138-44. doi: 10.1016/j.lfs.2013.04.015. Epub 2013 May 4.

[Microdialysis measurement of intratumoral temozolomide concentration after cediranib, a pan-VEGF receptor tyrosine kinase inhibitor, in a U87 glioma model.](#)

Grossman R, Tyler B, Rudek MA, Kim E, Zadnik P, Khan U, Blakeley JO, Pathak AP, Brem H.

Cancer Chemother Pharmacol. 2013 Jul;72(1):93-100. doi: 10.1007/s00280-013-2172-3. Epub 2013 May 7.

[Intranasal administration of oxytocin: Behavioral and clinical effects, a review.](#)

Veening JG, Olivier B.

Neurosci Biobehav Rev. 2013 May 4;37(8):1445-1465. doi: 10.1016/j.neubiorev.2013.04.012. [Epub ahead of print]

[Upregulation of the dorsal raphe nucleus-prefrontal cortex serotonin system by chronic treatment with escitalopram in hyposerotonergic Wistar-Kyoto rats.](#)

Yamada M, Kawahara Y, Kaneko F, Kishikawa Y, Sotogaku N, Poppinga WJ, Folgering JH, Dremencov E, Kawahara H, Nishi A.
Neuropharmacology. 2013 Sep;72:169-78. doi: 10.1016/j.neuropharm.2013.04.044. Epub 2013 May 3.

[Analysis of glutamate, GABA, noradrenaline, dopamine, serotonin, and metabolites using microbore UHPLC with electrochemical detection.](#)

Reinoud NJ, Brouwer HJ, van Heerwaarden LM, Korte-Bouws GA.
ACS Chem Neurosci. 2013 May 15;4(5):888-94. doi: 10.1021/cn400044s. Epub 2013 May 6.

[Time Delay of Microdialysis in vitro.](#)

Huang SH, Zhang J, Li Y, Rong J, Wu ZK.
N Am J Med Sci. 2013 Feb;5(2):149-52. doi: 10.4103/1947-2714.107540.

[Brain interstitial oligomeric amyloid \$\beta\$ increases with age and is resistant to clearance from brain in a mouse model of Alzheimer's disease.](#)

Takeda S, Hashimoto T, Roe AD, Hori Y, Spires-Jones TL, Hyman BT.
FASEB J. 2013 May 2. [Epub ahead of print]

[Physical exercise prevents stress-induced activation of granule neurons and enhances local inhibitory mechanisms in the dentate gyrus.](#)

Schoenfeld TJ, Rada P, Pieruzzini PR, Hsueh B, Gould E.
J Neurosci. 2013 May 1;33(18):7770-7. doi: 10.1523/JNEUROSCI.5352-12.2013.

[Involvement of serotonin 5-HT₃ receptors in the modulation of noradrenergic transmission by serotonin reuptake inhibitors: a microdialysis study in rat brain.](#)

Fernández-Pastor B, Ortega JE, Meana JJ.
Psychopharmacology (Berl). 2013 May 2. [Epub ahead of print]

[Identification of anastomotic leakage after colorectal surgery using microdialysis of the peritoneal cavity.](#)

Daams F, Wu Z, Cakir H, Karsten TM, Lange JF.
Tech Coloproctol. 2013 Apr 30. [Epub ahead of print]

[Hyperbaric oxygen does not improve cerebral function when started 2 or 4 hours after cerebral arterial gas embolism in Swine*.](#)

Weenink RP, Hollmann MW, Vrijdag XC, Van Lienden KP, De Boo DW, Stevens MF, Van Gulik TM, Van Hulst RA.
Crit Care Med. 2013 Jul;41(7):1719-27. doi: 10.1097/CCM.0b013e31828a3e00.

[Experimental tooth clenching. A model for studying mechanisms of muscle pain.](#)

Dawson A.
Swed Dent J Suppl. 2013;(228):9-94.

[A diffusion tensor-based finite element model of microdialysis in the deep brain.](#)

Diczfalusy E, Andersson M, Wårdell K.
Comput Methods Biomech Biomed Engin. 2013 Apr 29. [Epub ahead of print]

[Prefrontal dopamine and behavioral flexibility: shifting from an "inverted-U" toward a family of functions.](#)

Floresco SB.
Front Neurosci. 2013 Apr 19;7:62. doi: 10.3389/fnins.2013.00062. Print 2013.

[Messengers of renal graft quality during warm and cold ischemia: a porcine microdialysis study.](#)

Keller AK, Kierulf-Lassen C, Møldrup U, Bibby BM, Jespersen B.
Transplant Proc. 2013 Apr;45(3):1172-7. doi: 10.1016/j.transproceed.2012.10.014.

[ApoE influences amyloid- \$\beta\$ \(A \$\beta\$ \) clearance despite minimal apoE/A \$\beta\$ association in physiological conditions.](#)

Vergheze PB, Castellano JM, Garai K, Wang Y, Jiang H, Shah A, Bu G, Frieden C, Holtzman DM.

Proc Natl Acad Sci U S A. 2013 May 7;110(19):E1807-16. doi: 10.1073/pnas.1220484110. Epub 2013 Apr 25.

[Physiologically relevant changes in serotonin resolved by fast microdialysis.](#)

Yang H, Thompson AB, McIntosh BJ, Altieri SC, Andrews AM.

ACS Chem Neurosci. 2013 May 15;4(5):790-8. doi: 10.1021/cn400072f. Epub 2013 Apr 24.

[Decreased Permeability Surface Area for Glucose in Obese Women with Postprandial Hyperglycemia: No Effect of Phosphodiesterase-5 \(PDE-5\) Inhibition.](#)

Sandqvist M, Strindberg L, Lönnroth P, Jansson PA.

Horm Metab Res. 2013 Aug;45(8):556-60. doi: 10.1055/s-0033-1341485. Epub 2013 Apr 23.

[GluN2A and GluN2B NMDA receptor subunits differentially modulate striatal output pathways and contribute to levodopa-induced abnormal involuntary movements in dyskinetic rats.](#)

Mabrouk OS, Mela F, Calcagno M, Budri M, Viaro R, Dekundy A, Parsons CG, Auberson YP, Morari M.

ACS Chem Neurosci. 2013 May 15;4(5):808-16. doi: 10.1021/cn400016d. Epub 2013 Apr 23.

[Imaging dopamine transmission in the frontal cortex: a simultaneous microdialysis and \[¹¹C\]FLB 457 PET study.](#)

Narendran R, Jedema HP, Lopresti BJ, Mason NS, Gurnsey K, Ruszkiewicz J, Chen CM, Deutch L, Frankle WG, Bradberry CW.

Mol Psychiatry. 2013 Apr 23. doi: 10.1038/mp.2013.52. [Epub ahead of print] No abstract available.

[Invasive and noninvasive multimodal bedside monitoring in subarachnoid hemorrhage: a review of techniques and available data.](#)

Arshi B, Mack WJ, Emanuel B.

Neurol Res Int. 2013;2013:987934. doi: 10.1155/2013/987934. Epub 2013 Mar 31.

[Systemic administration of 5-HT\(2C\) receptor agonists attenuates muscular hyperalgesia in reserpine-induced myalgia model.](#)

Ogino S, Nagakura Y, Tsukamoto M, Watabiki T, Ozawa T, Oe T, Shimizu Y, Ito H.

Pharmacol Biochem Behav. 2013 Jul;108:8-15. doi: 10.1016/j.pbb.2013.04.007. Epub 2013 Apr 18.

[Noradrenaline increases pain facilitation from the brain during inflammatory pain.](#)

Martins I, de Vries MG, Teixeira-Pinto A, Fadel J, Wilson SP, Westerink BH, Tavares I.

Neuropharmacology. 2013 Aug;71:299-307. doi: 10.1016/j.neuropharm.2013.04.007. Epub 2013 Apr 16.

[In vivo measurement of apolipoprotein E from the brain interstitial fluid using microdialysis.](#)

Ulrich JD, Burchett JM, Restivo JL, Schuler DR, Vergheze PB, Mahan TE, Landreth GE, Castellano JM, Jiang H, Cirrito JR, Holtzman DM.

Mol Neurodegener. 2013 Apr 19;8:13. doi: 10.1186/1750-1326-8-13.

[Transcranial direct-current stimulation increases extracellular dopamine levels in the rat striatum.](#)

Tanaka T, Takano Y, Tanaka S, Hironaka N, Kobayashi K, Hanakawa T, Watanabe K, Honda M.

Front Syst Neurosci. 2013 Apr 11;7:6. doi: 10.3389/fnsys.2013.00006. Print 2013.

[Acute Peripheral Tissue Effects of Ghrelin on Interstitial levels of Glucose, Glycerol, and Lactate: a Microdialysis Study in Healthy Human Subjects.](#)

Vestergaard ET, Møller N, Jørgensen JO.

Am J Physiol Endocrinol Metab. 2013 Apr 16. [Epub ahead of print]

[Rapid Preconcentration for Liquid Chromatography-Mass Spectrometry Assay of Trace Level Neuropeptides.](#)

Zhou Y, Mabrouk OS, Kennedy RT.

J Am Soc Mass Spectrom. 2013 Apr 17. [Epub ahead of print]

[Glucocorticoid receptors in the prefrontal cortex regulate dopamine efflux to stress via descending glutamatergic feedback to the ventral tegmental area.](#)

Butts KA, Phillips AG.

Int J Neuropsychopharmacol. 2013 Apr 16:1-9. [Epub ahead of print]

[Effect of cardiopulmonary bypass on regional antibiotic penetration into lung tissue.](#)

Hutschala D, Skhirtladze K, Kinstner C, Zeitlinger M, Wisser W, Jaeger W, Hoeflerl M, Müller M, Tschernko E.

Antimicrob Agents Chemother. 2013 Jul;57(7):2996-3002. doi: 10.1128/AAC.02627-12. Epub 2013 Apr 15.

[Flavor-independent maintenance, extinction, and reinstatement of fat self-administration in mice.](#)

Tellez LA, Ferreira JG, Medina S, Land BB, DiLeone RJ, de Araujo IE.

Biol Psychiatry. 2013 May 1;73(9):851-9. doi: 10.1016/j.biopsych.2013.02.028.

[Daily monitoring of dopamine efflux reveals a short-lasting occlusion of the dopamine agonist properties of d-amphetamine by dopamine transporter blockers GBR 12909 and methylphenidate.](#)

Ahn S, Phillips AG.

ACS Chem Neurosci. 2013 May 15;4(5):817-24. doi: 10.1021/cn400040r. Epub 2013 May 3.

[A tobacco extract containing alkaloids induces distinct effects compared to pure nicotine on dopamine release in the rat.](#)

Khalki H, Navailles S, Piron CL, De Deurwaerdère P.

Neurosci Lett. 2013 Jun 7;544:85-8. doi: 10.1016/j.neulet.2013.03.047. Epub 2013 Apr 9.

[Extracellular NAADP affords cardioprotection against ischemia and reperfusion injury and involves the P2Y11-like receptor.](#)

Djerada Z, Peyret H, Dukic S, Millart H.

Biochem Biophys Res Commun. 2013 May 10;434(3):428-33. doi: 10.1016/j.bbrc.2013.03.089. Epub 2013 Apr 9.

[Nitric oxide metabolites in the lumbosacral spinal cord interstice and cerebrospinal fluid in female rats with acute cyclophosphamide-induced cystitis: an in vivo microdialysis study.](#)

Rocha JN, Oliveira GB.

Einstein (Sao Paulo). 2013 Mar;11(1):88-94. English, Portuguese.

[Cysteine-modulated colorimetric sensing of extracellular Mg²⁺ in rat brain based on the strong chelation interaction between dithiothreitol and Mg²⁺.](#)

Zhuang X, Wang D, Yang L, Yu P, Jiang W, Mao L.

Analyst. 2013 May 21;138(10):3046-52. doi: 10.1039/c3an00235g.

[Increased brain and plasma oxytocin after nasal and peripheral administration in rats and mice.](#)

Neumann ID, Maloumby R, Beiderbeck DI, Lukas M, Landgraf R.

Psychoneuroendocrinology. 2013 Apr 8. doi:pii: S0306-4530(13)00077-2. 10.1016/j.psyneuen.2013.03.003. [Epub ahead of print]

[Enhanced human tissue microdialysis using hydroxypropyl-β-cyclodextrin as molecular carrier.](#)

May M, Batkai S, Zoerner AA, Tsikas D, Jordan J, Engeli S.

PLoS One. 2013;8(4):e60628. doi: 10.1371/journal.pone.0060628. Epub 2013 Apr 5.

[Continuous online microdialysis using microfluidic sensors: dynamic neurometabolic changes during spreading depolarization.](#)

Rogers ML, Feuerstein D, Leong CL, Takagaki M, Niu X, Graf R, Boutelle MG.
ACS Chem Neurosci. 2013 May 15;4(5):799-807. doi: 10.1021/cn400047x. Epub 2013 May 1.

[\[New methods of dose optimization and individualized pharmacotherapy? Determination of drug concentration and pharmacokinetic analysis at the site. I\].](#)

Schäftlein A, Simmel F, Kloft C.

Med Monatsschr Pharm. 2013 Mar;36(3):97-101. Review. German. No abstract available.

[Pulsed radiofrequency treatment attenuates increases in spinal excitatory amino acid release in rats with adjuvant-induced mechanical allodynia.](#)

Yang CH, Chen KH, Huang HW, Sheen-Chen SM, Lin CR.

Neuroreport. 2013 May 29;24(8):431-6. doi: 10.1097/WNR.0b013e32836164f5.

[Microdialysis study of cefotaxime cerebral distribution in patients with acute brain injury.](#)

Dahyot-Fizelier C, Frasca D, Grégoire N, Adier C, Mimoz O, Debaene B, Couet W, Marchand S.

Antimicrob Agents Chemother. 2013 Jun;57(6):2738-42. doi: 10.1128/AAC.02570-12. Epub 2013 Apr 9.

[Effects of TrkB agonist 7,8-dihydroxyflavone on sensory gating deficits in mice after administration of methamphetamine.](#)

Ren Q, Zhang JC, Fujita Y, Ma M, Wu J, Hashimoto K.

Pharmacol Biochem Behav. 2013 May;106:124-7. doi: 10.1016/j.pbb.2013.03.016. Epub 2013 Apr 6.

[Striatal glutamate induces retrograde excitotoxicity and neuronal degeneration of intralaminar thalamic nuclei: their potential relevance for Parkinson's disease.](#)

Morales I, Sabate M, Rodriguez M.

Eur J Neurosci. 2013 Jul;38(1):2172-82. doi: 10.1111/ejn.12205. Epub 2013 Apr 8.

[GET73 increases rat extracellular hippocampal CA1 GABA levels through a possible involvement of local mGlu5 receptor.](#)

Beggiato S, O'Connor WT, Tomasini MC, Antonelli T, Loche A, Tanganelli S, Cacciaglia R, Ferraro L.

Synapse. 2013 Apr 8. doi: 10.1002/syn.21672. [Epub ahead of print]

[A novel telemetric system to measure polysomnographic biopotentials in freely moving animals.](#)

Zielinski MR, Gerashchenko L, Karpova SA, Gerashchenko D.

J Neurosci Methods. 2013 Jun 15;216(2):79-86. doi: 10.1016/j.jneumeth.2013.03.022. Epub 2013 Apr 4.

[Additive effect of rimonabant and citalopram on extracellular serotonin levels monitored with in vivo microdialysis in rat brain.](#)

Ortega JE, Gonzalez-Lira V, Horrillo I, Herrera-Marschitz M, Callado LF, Meana JJ.

Eur J Pharmacol. 2013 Jun 5;709(1-3):13-9. doi: 10.1016/j.ejphar.2013.03.043. Epub 2013 Apr 3.

[Effects of intravenous magnesium infusion on in vivo release of acetylcholine and catecholamine in rat adrenal medulla.](#)

Komaki F, Akiyama T, Yamazaki T, Kitagawa H, Nosaka S, Shirai M.

Auton Neurosci. 2013 Apr 2. doi:pil: S1566-0702(13)00064-7. 10.1016/j.autneu.2013.03.004. [Epub ahead of print]

[Increased blood-brain barrier vulnerability to systemic inflammation in an Alzheimer disease mouse model.](#)

Takeda S, Sato N, Ikimura K, Nishino H, Rakugi H, Morishita R.

Neurobiol Aging. 2013 Aug;34(8):2064-70. doi: 10.1016/j.neurobiolaging.2013.02.010. Epub 2013 Apr 2.

[Opposing roles of corticotropin-releasing factor and neuropeptide Y within the dorsolateral bed nucleus of the stria terminalis in the negative affective component of pain in rats.](#)

Ide S, Hara T, Ohno A, Tamano R, Koseki K, Naka T, Maruyama C, Kaneda K, Yoshioka M, Minami M.

J Neurosci. 2013 Apr 3;33(14):5881-94. doi: 10.1523/JNEUROSCI.4278-12.2013.

[Enhancement of in vivo antioxidant ability in the brain of rats fed tannin.](#)

Nakajima A, Ueda Y, Matsuda E, Sameshima H, Ikenoue T.

Neurochem Res. 2013 Jul;38(7):1360-4. doi: 10.1007/s11064-013-1031-2. Epub 2013 Apr 4.

[An exploratory microdialysis study investigating the effect of repeated application of a diclofenac epolamine medicated plaster on prostaglandin concentrations in skeletal muscle after standardized physical exercise.](#)

Burian A, Frangione V, Rovati S, Mautone G, Leuratti C, Vaccani A, Crevenna R, Keilani M, Burian B, Brunner M, Zeitlinger M.

Br J Clin Pharmacol. 2013 Apr 1. doi: 10.1111/bcp.12125. [Epub ahead of print]

[Large pore dermal microdialysis and liquid chromatography-tandem mass spectroscopy shotgun proteomic analysis: a feasibility study.](#)

Petersen LJ, Sørensen MA, Codrea MC, Zacho HD, Bendixen E.

Skin Res Technol. 2013 Mar 28. doi: 10.1111/srt.12063. [Epub ahead of print]

[Microfabricated sampling probes for in vivo monitoring of neurotransmitters.](#)

Lee WH, Slaney TR, Hower RW, Kennedy RT.

Anal Chem. 2013 Apr 16;85(8):3828-31. doi: 10.1021/ac400579x. Epub 2013 Apr 3.

[Effects of dorsomedial medullary 5-HT2 receptor antagonism on initial ventilatory airway responses to hypercapnic hypoxia in mice.](#)

Kanamaru M, Sugita T, Homma I.

Exp Brain Res. 2013 Mar 30. [Epub ahead of print]

[Prefrontal cortical kappa-opioid receptor modulation of local neurotransmission and conditioned place aversion.](#)

Tejeda HA, Counotte DS, Oh E, Ramamoorthy S, Schultz-Kuszk KN, Bäckman CM, Chefer V, O'Donnell P, Shippenberg TS.

Neuropsychopharmacology. 2013 Aug;38(9):1770-9. doi: 10.1038/npp.2013.76. Epub 2013 Mar 29.

[Multisite intracerebral microdialysis to study the mechanism of L-DOPA induced dopamine and serotonin release in the parkinsonian brain.](#)

Navailles S, Lagièrre M, Contini A, De Deurwaerdère P.

ACS Chem Neurosci. 2013 May 15;4(5):680-92. doi: 10.1021/cn400046e. Epub 2013 Apr 15.

[Intra-peritoneal microdialysis and intra-abdominal pressure after endovascular repair of ruptured aortic aneurysms.](#)

Hörer TM, Skoog P, Norgren L, Magnuson A, Berggren L, Jansson K, Larzon T.

Eur J Vasc Endovasc Surg. 2013 Jun;45(6):596-606. doi: 10.1016/j.ejvs.2013.03.002. Epub 2013 Mar 27.

[Exposure of Cyclosporin A in Whole Blood, Cerebral Spinal Fluid, and Brain Extracellular Fluid Dialysate in Adults with Traumatic Brain Injury.](#)

Brophy GM, Mazzeo AT, Brar S, Alves OL, Bunnell K, Gilman C, Karnes T, Hayes RL, Bullock R.

J Neurotrauma. 2013 Aug 2. [Epub ahead of print]

[Amphetamine, past and present--a pharmacological and clinical perspective.](#)

Heal DJ, Smith SL, Gosden J, Nutt DJ.

J Psychopharmacol. 2013 Jun;27(6):479-96. doi: 10.1177/0269881113482532. Epub 2013 Mar 28.

[The impact of P-gp functionality on non-steady state relationships between CSF and brain extracellular fluid.](#)

Westerhout J, Smeets J, Danhof M, de Lange EC.

J Pharmacokinet Pharmacodyn. 2013 Jun;40(3):327-42. doi: 10.1007/s10928-013-9314-4. Epub 2013 Mar 29.

[Estradiol effects on subcutaneous adipose tissue lipolysis in premenopausal women are adipose tissue depot specific and treatment dependent.](#)

Gavin KM, Cooper EE, Raymer DK, Hickner RC.

Am J Physiol Endocrinol Metab. 2013 Jun 1;304(11):E1167-74. doi: 10.1152/ajpendo.00023.2013. Epub 2013 Mar 26.

[Melanin concentrating hormone induces hippocampal acetylcholine release via the medial septum in rats.](#)

Lu ZH, Fukuda S, Minakawa Y, Yasuda A, Sakamoto H, Sawamura S, Takahashi H, Ishii N.

Peptides. 2013 Jun;44:32-9. doi: 10.1016/j.peptides.2013.03.015. Epub 2013 Mar 24.

[Spiraling dopaminergic circuitry from the ventral striatum to dorsal striatum is an effective feed-forward loop.](#)

Ikeda H, Saigusa T, Kamei J, Koshikawa N, Cools AR.

Neuroscience. 2013 Jun 25;241:126-34. doi: 10.1016/j.neuroscience.2013.03.023. Epub 2013 Mar 24.

[Synovial distribution of "systemically" administered acetylsalicylic acid in the isolated perfused equine distal limb.](#)

Friebe M, Schumacher S, Stahl J, Kietzmann M.

BMC Vet Res. 2013 Mar 26;9:56. doi: 10.1186/1746-6148-9-56.

[Inhibition of neuropeptide degradation suppresses sweating but increases the area of the axon reflex flare.](#)

Schlereth T, Breimhorst M, Werner N, Pottschmidt K, Drummond PD, Birklein F.

Exp Dermatol. 2013 Apr;22(4):299-301. doi: 10.1111/exd.12122.

[Tetramethylpyrazine decreases hypothalamic glutamate, hydroxyl radicals and prostaglandin-E2 and has antipyretic effects.](#)

Chang CH, Huang WT, Kao CH, Chen SH, Lin CH.

Inflamm Res. 2013 May;62(5):527-35. doi: 10.1007/s00011-013-0606-3. Epub 2013 Mar 23.

[Microdialysate analysis of monoamine neurotransmitters--a versatile and sensitive LC-MS/MS method.](#)

Greco S, Danysz W, Zivkovic A, Gross R, Stark H.

Anal Chim Acta. 2013 Apr 10;771:65-72. doi: 10.1016/j.aca.2013.02.004. Epub 2013 Feb 14.

[Vagal stimulation triggers peripheral vascular protection through the cholinergic anti-inflammatory pathway in a rat model of myocardial ischemia/reperfusion.](#)

Zhao M, He X, Bi XY, Yu XJ, Gil Wier W, Zang WJ.

Basic Res Cardiol. 2013 May;108(3):345. doi: 10.1007/s00395-013-0345-1. Epub 2013 Mar 22.

[Milrinone and levosimendan during porcine myocardial ischemia -- no effects on calcium overload and metabolism.](#)

Axelsson B, Johansson G, Abrahamsson P, Gupta A, Tydén H, Wouters P, Haney M.

Acta Anaesthesiol Scand. 2013 Jul;57(6):719-28. doi: 10.1111/aas.12095. Epub 2013 Mar 20.

[Milrinone and levosimendan during porcine myocardial ischemia -- no effects on calcium overload and metabolism.](#)

Axelsson B, Johansson G, Abrahamsson P, Gupta A, Tydén H, Wouters P, Haney M.
Acta Anaesthesiol Scand. 2013 Jul;57(6):719-28. doi: 10.1111/aas.12095. Epub 2013 Mar 20.

[Effect of combined thermal and electrical muscle stimulation on cardiorespiratory fitness and adipose tissue in obese individuals.](#)

Rostrup E, Slettom G, Seifert R, Bjørndal B, Berge RK, Nordrehaug JE.
Eur J Prev Cardiol. 2013 Mar 20. [Epub ahead of print]

[Volume transmission of substance P in striatum induced by intraplantar formalin injection attenuates nociceptive responses via activation of the neurokinin 1 receptor.](#)

Nakamura Y, Izumi H, Shimizu T, Hisaoka-Nakashima K, Morioka N, Nakata Y.
J Pharmacol Sci. 2013;121(4):257-71. Epub 2013 Mar 20.

[CSF and Serum Biomarkers Focusing on Cerebral Vasospasm and Ischemia after Subarachnoid Hemorrhage.](#)

Jung CS, Lange B, Zimmermann M, Seifert V.
Stroke Res Treat. 2013;2013:560305. doi: 10.1155/2013/560305. Epub 2013 Feb 19.

[Inflammation induced by MMP-9 enhances tumor regression of experimental breast cancer.](#)

Leifler KS, Svensson S, Abrahamsson A, Bendrik C, Robertson J, Gauldie J, Olsson AK, Dabrosin C.
J Immunol. 2013 Apr 15;190(8):4420-30. doi: 10.4049/jimmunol.1202610. Epub 2013 Mar 15.

[\[Determination of 7-ethyl-10-hydroxycamptothecin in microdialysates from rat brain with LC-MS/MS\].](#)

Cao Y, Cheng Q, Lu H, Zhang H.
Zhejiang Da Xue Xue Bao Yi Xue Ban. 2013 Jan;42(1):98-102. Chinese.

[\$\mu\$ -Opioid receptors in the stimulation of mesolimbic dopamine activity by ethanol and morphine in Long-Evans rats: a delayed effect of ethanol.](#)

Valenta JP, Job MO, Mangieri RA, Schier CJ, Howard EC, Gonzales RA.
Psychopharmacology (Berl). 2013 Aug;228(3):389-400. doi: 10.1007/s00213-013-3041-9. Epub 2013 Mar 16.

[In vivo monitoring of acetylcholine release from cardiac vagal nerve endings in anesthetized mice.](#)

Zhan DY, Du CK, Akiyama T, Sonobe T, Tsuchimochi H, Shimizu S, Kawada T, Shirai M.
Auton Neurosci. 2013 Jun;176(1-2):91-4. doi: 10.1016/j.autneu.2013.02.014. Epub 2013 Mar 15.

[Simultaneous recording of hippocampal oxygen and glucose in real time using constant potential amperometry in the freely-moving rat.](#)

Kealy J, Bennett R, Lowry JP.
J Neurosci Methods. 2013 Apr 30;215(1):110-20. doi: 10.1016/j.jneumeth.2013.02.016. Epub 2013 Mar 7.

[Effects of 5-HT_{1A} receptor stimulation on D₁ receptor agonist-induced striatonigral activity and dyskinesia in hemiparkinsonian rats.](#)

Dupre KB, Ostock CY, George JA, Eskow Jaunarajs KL, Hueston CM, Bishop C.
ACS Chem Neurosci. 2013 May 15;4(5):747-60. doi: 10.1021/cn300234z. Epub 2013 Apr 1.

[Hybridization of bioelectrochemically functional infinite coordination polymer nanoparticles with carbon nanotubes for highly sensitive and selective in vivo electrochemical monitoring.](#)

Lu X, Cheng H, Huang P, Yang L, Yu P, Mao L.
Anal Chem. 2013 Apr 16;85(8):4007-13. doi: 10.1021/ac303743a. Epub 2013 Mar 28.

[Cerebral energy metabolism during mitochondrial dysfunction induced by cyanide in piglets.](#)

Nielsen TH, Olsen NV, Toft P, Nordström CH.

Acta Anaesthesiol Scand. 2013 Jul;57(6):793-801. doi: 10.1111/aas.12092. Epub 2013 Mar 18.

[Minimally invasive monitoring of skeletal muscle hypermetabolism induced by the phosphodiesterase-III-inhibitor milrinone and sodium fluoride.](#)

Schuster F, Johannsen S, Roewer N, Anetseder M.

J Pharm Pharmacol. 2013 Apr;65(4):547-51. doi: 10.1111/jphp.12012. Epub 2012 Nov 22.

[Critical role of the astrocyte for functional remodeling in contralateral hemisphere of somatosensory cortex after stroke.](#)

Takatsuru Y, Eto K, Kaneko R, Masuda H, Shimokawa N, Koibuchi N, Nabekura J.

J Neurosci. 2013 Mar 13;33(11):4683-92. doi: 10.1523/JNEUROSCI.2657-12.2013.

[Effects of dexmedetomidine, midazolam, and propofol on acetylcholine release in the rat cerebral cortex in vivo.](#)

Nemoto C, Murakawa M, Hakozaki T, Imaizumi T, Isosu T, Obara S.

J Anesth. 2013 Mar 13. [Epub ahead of print]

[Rho-Kinase activity and cutaneous vasoconstriction is upregulated in essential hypertensive humans.](#)

Smith CJ, Santhanam L, Alexander LM.

Microvasc Res. 2013 May;87:58-64. doi: 10.1016/j.mvr.2013.02.005. Epub 2013 Feb 26.

[In vivo microdialysis sampling of cytokines from rat hippocampus: comparison of cannula implantation procedures.](#)

Vasicek TW, Jackson MR, Poseno TM, Stenken JA.

ACS Chem Neurosci. 2013 May 15;4(5):737-46. doi: 10.1021/cn400025m. Epub 2013 Apr 2.

[Multidrug resistance-associated protein 1 decreases the concentrations of antiepileptic drugs in cortical extracellular fluid in amygdale kindling rats.](#)

Chen YH, Wang CC, Xiao X, Wei L, Xu G.

Acta Pharmacol Sin. 2013 Apr;34(4):473-9. doi: 10.1038/aps.2012.183. Epub 2013 Mar 11.

[Systemic inflammation alters central 5-HT function as determined by pharmacological MRI.](#)

Couch Y, Martin CJ, Howarth C, Raley J, Khrapitchev AA, Stratford M, Sharp T, Sibson NR, Anthony DC.

Neuroimage. 2013 Jul 15;75:177-86. doi: 10.1016/j.neuroimage.2013.02.046. Epub 2013 Mar 5.

[Direct analysis of formate in human plasma, serum and whole blood by in-line coupling of microdialysis to capillary electrophoresis for rapid diagnosis of methanol poisoning.](#)

Kubáň P, Boček P.

Anal Chim Acta. 2013 Mar 20;768:82-9. doi: 10.1016/j.aca.2013.01.021. Epub 2013 Jan 21.

[Plasma and dermal pharmacokinetics of terpinen-4-ol in rats following intravenous administration.](#)

Chooluck K, Singh RP, Sathirakul K, Derendorf H.

Pharmazie. 2013 Feb;68(2):135-40.

[Cerebral microdialysis in clinical studies of drugs: pharmacokinetic applications.](#)

Shannon RJ, Carpenter KL, Guilfoyle MR, Helmy A, Hutchinson PJ.

J Pharmacokinet Pharmacodyn. 2013 Jun;40(3):343-58. doi: 10.1007/s10928-013-9306-4. Epub 2013 Mar 7.

[PET/CT imaging evidence of FUS-mediated \(18\)F-FDG uptake changes in rat brain.](#)

Kim H, Park MA, Wang S, Chiu A, Fischer K, Yoo SS.

Med Phys. 2013 Mar;40(3):033501. doi: 10.1118/1.4789916.

[Oxymorphone active uptake at the blood-brain barrier and population modeling of its pharmacokinetic-pharmacodynamic relationship.](#)

Sadiq MW, Boström E, Keizer R, Björkman S, Hammarlund-Udenaes M.
J Pharm Sci. 2013 Mar 5. doi: 10.1002/jps.23492. [Epub ahead of print]

[Plasma pharmacochemistry combined with microdialysis to screen potential bioactive components and their metabolites in Anemarrhena asphodeloides saponin extract using ultrahigh-performance liquid chromatography/quadrupole-time-of-flight mass spectrometry.](#)

Liu Z, Liu M, Qi Y, Zhu Z, Chai Y, Yuan C, Lin Y.
J Sep Sci. 2013 May;36(9-10):1659-66. doi: 10.1002/jssc.201201116.

[Human hypocretin and melanin-concentrating hormone levels are linked to emotion and social interaction.](#)

Blouin AM, Fried I, Wilson CL, Staba RJ, Behnke EJ, Lam HA, Maidment NT, Karlsson KÆ, Lapierre JL, Siegel JM.
Nat Commun. 2013;4:1547. doi: 10.1038/ncomms2461.

[Internal mammary artery harvesting influences antibiotic penetration into presternal tissue.](#)

Andreas M, Zeitlinger M, Hoferl M, Jaeger W, Zimpfer D, Hiesmayr JM, Laufer G, Hutschala D.
Ann Thorac Surg. 2013 Apr;95(4):1323-9; discussion 1329-30. doi: 10.1016/j.athoracsur.2012.10.088. Epub 2013 Feb 22.

[The role of NO in the posterior hypothalamus in amygdala-generated pressor responses in conscious rats.](#)

Özyurt Bayraktar H, Yananlı H, Terzioğlu B, Oktay S, Kaleli M, Gören MZ.
Auton Autacoid Pharmacol. 2013 Apr;33(1-2):7-16. doi: 10.1111/aap.12004. Epub 2013 Mar 6.

[αCaMKII Autophosphorylation Controls the Establishment of Alcohol Drinking Behavior.](#)

Easton AC, Lucchesi W, Lourdasamy A, Lenz B, Solati J, Golub Y, Lewczuk P, Fernandes C, Desrivieres S, Dawirs RR, Moll GH, Kornhuber J, Frank J, Hoffmann P, Soyka M, Kiefer F; GESGA Consortium, Schumann G, Peter Giese K, Müller CP.
Neuropsychopharmacology. 2013 Aug;38(9):1636-47. doi: 10.1038/npp.2013.60. Epub 2013 Mar 4.

[Systemic pregabalin attenuates facial hypersensitivity and noxious stimulus-evoked release of glutamate in medullary dorsal horn in a rodent model of trigeminal neuropathic pain.](#)

Kumar N, Cherkas PS, Varathan V, Miyamoto M, Chiang CY, Dostrovsky JO, Sessle BJ, Coderre TJ.
Neurochem Int. 2013 May;62(6):831-5. doi: 10.1016/j.neuint.2013.02.022. Epub 2013 Feb 26.

[Mn \(III\) tetrakis \(4-benzoic acid\) porphyrin scavenges reactive species, reduces oxidative stress, and improves functional recovery after experimental spinal cord injury in rats: comparison with methylprednisolone.](#)

Liu D, Shan Y, Valluru L, Bao F.
BMC Neurosci. 2013 Mar 1;14:23. doi: 10.1186/1471-2202-14-23.

[Different intravitreal properties of three triamcinolone formulations and their possible impact on retina practice.](#)

Chen H, Sun S, Li J, Du W, Zhao C, Hou J, Xu Y, Cheng L.
Invest Ophthalmol Vis Sci. 2013 Mar 1;54(3):2178-85. doi: 10.1167/iovs.12-11460.

[Pathological activity in mediodorsal thalamus of rats with spinal cord injury pain.](#)

Whitt JL, Masri R, Pulimood NS, Keller A.
J Neurosci. 2013 Feb 27;33(9):3915-26. doi: 10.1523/JNEUROSCI.2639-12.2013.

[GABA-independent GABAA receptor openings maintain tonic currents.](#)

Włodarczyk AI, Sylantyev S, Herd MB, Kersanté F, Lambert JJ, Rusakov DA, Linthorst AC, Semyanov A, Belelli D, Pavlov I, Walker MC.
J Neurosci. 2013 Feb 27;33(9):3905-14. doi: 10.1523/JNEUROSCI.4193-12.2013.

[Role of **microdialysis** catheters in clinical decision making: bench to bedside?](#)

Ramsay M.

Liver Transpl. 2013 Mar;19(3):243-5. doi: 10.1002/lt.23602. No abstract available.

[Kynurenic acid, by targeting \$\alpha 7\$ nicotinic acetylcholine receptors, modulates extracellular GABA levels in the rat striatum in vivo.](#)

Beggiato S, Antonelli T, Tomasini MC, Tanganelli S, Fuxe K, Schwarcz R, Ferraro L.

Eur J Neurosci. 2013 May;37(9):1470-7. doi: 10.1111/ejn.12160. Epub 2013 Feb 26.

[Imaging dopamine transmission in the frontal cortex: a simultaneous **microdialysis** and \[\(11\)C\]FLB 457 PET study.](#)

Narendran R, Jedema HP, Lopresti BJ, Mason NS, Gurnsey K, Ruszkiewicz J, Chen CM, Deutch L, Frankle WG, Bradberry CW.

Mol Psychiatry. 2013 Feb 26. doi: 10.1038/mp.2013.9. [Epub ahead of print]

[Decreased extracellular adenosine levels lead to loss of hypoxia-induced neuroprotection after repeated episodes of exposure to hypoxia.](#)

Cui M, Bai X, Li T, Chen F, Dong Q, Zhao Y, Liu X.

PLoS One. 2013;8(2):e57065. doi: 10.1371/journal.pone.0057065. Epub 2013 Feb 21.

[Recent advances in microchip electrophoresis for amino acid analysis.](#)

Ou G, Feng X, Du W, Liu X, Liu BF.

Anal Bioanal Chem. 2013 Feb 24. [Epub ahead of print]

[Online rapid sampling **microdialysis** \(rsMD\) using enzyme-based electroanalysis for dynamic detection of ischaemia during free flap reconstructive surgery.](#)

Rogers ML, Brennan PA, Leong CL, Gowers SA, Aldridge T, Mellor TK, Boutelle MG.

Anal Bioanal Chem. 2013 Apr;405(11):3881-8. doi: 10.1007/s00216-013-6770-z. Epub 2013 Feb 26.

[The mastermind approach to CNS drug therapy: translational prediction of human brain distribution, target site kinetics, and therapeutic effects.](#)

de Lange EC.

Fluids Barriers CNS. 2013 Feb 22;10(1):12. doi: 10.1186/2045-8118-10-12.

[Glucocorticoids fail to cause insulin resistance in human subcutaneous adipose tissue in vivo.](#)

Hazlehurst JM, Gathercole LL, Nasiri M, Armstrong MJ, Borrowes S, Yu J, Wagenmakers AJ, Stewart PM, Tomlinson JW.

J Clin Endocrinol Metab. 2013 Apr;98(4):1631-40. doi: 10.1210/jc.2012-3523. Epub 2013 Feb 20.

[Intravenous ethanol increases extracellular dopamine in the medial prefrontal cortex of the Long-Evans rat.](#)

Schier CJ, Dilly GA, Gonzales RA.

Alcohol Clin Exp Res. 2013 May;37(5):740-7. doi: 10.1111/acer.12042. Epub 2013 Feb 19.

[Effects of borneol on the pharmacokinetics of geniposide in cortex, hippocampus, hypothalamus and striatum of conscious rat by simultaneous brain **microdialysis** coupled with UPLC-MS.](#)

Yu B, Ruan M, Cui XB, Guo JM, Xu L, Dong XP.

J Pharm Biomed Anal. 2013 Apr 15;77:128-32. doi: 10.1016/j.jpba.2013.01.017. Epub 2013 Jan 29.

[Elevated glucose metabolism in the amygdala during an inhibitory avoidance task.](#)

Sandusky LA, Flint RW, McNay EC.

Behav Brain Res. 2013 May 15;245:83-7. doi: 10.1016/j.bbr.2013.02.006. Epub 2013 Feb 15.

[5-HT_{2A} receptor inactivation potentiates the acute antidepressant-like activity of escitalopram: involvement of the noradrenergic system.](#)

Quesseveur G, Repérant C, David DJ, Gardier AM, Sanchez C, Guiard BP.
Exp Brain Res. 2013 Apr;226(2):285-95. doi: 10.1007/s00221-013-3434-3. Epub 2013 Feb 15.

[Validation of an efficient LC-microdialysis method for gemifloxacin quantitation in lung, kidney and liver of rats.](#)

de Araújo BV, Laureano JV, Grünspan LD, Dalla Costa T, Tasso L.
J Chromatogr B Analyt Technol Biomed Life Sci. 2013 Mar 1;919-920:62-6. doi: 10.1016/j.jchromb.2013.01.006.
Epub 2013 Jan 14.

[Non-pain-related CRF1 activation in the amygdala facilitates synaptic transmission and pain responses.](#)

Ji G, Fu Y, Adwanikar H, Neugebauer V.
Mol Pain. 2013 Feb 15;9:2. doi: 10.1186/1744-8069-9-2.

[Sensory nerves and nitric oxide contribute to reflex cutaneous vasodilation in humans.](#)

Wong BJ.
Am J Physiol Regul Integr Comp Physiol. 2013 Apr 15;304(8):R651-6. doi: 10.1152/ajpregu.00464.2012. Epub 2013 Feb 13.

[Improved Insulin Sensitivity during Pioglitazone Treatment Is Associated with Changes in IGF-I and Cortisol Secretion in Type 2 Diabetes and Impaired Glucose Tolerance.](#)

Arnetz L, Rajamand Ekberg N, Höybye C, Brismar K, Alvarsson M.
ISRN Endocrinol. 2013;2013:148497. doi: 10.1155/2013/148497. Epub 2013 Jan 15.

[Screening test for malignant hyperthermia in patients with persistent hyperCKemia: a pilot study.](#)

Johannsen S, Berberich C, Metterlein T, Roth C, Reiners K, Roewer N, Schuster F.
Muscle Nerve. 2013 May;47(5):677-81. doi: 10.1002/mus.23633. Epub 2013 Feb 10.

[\[Effect of storax on concentration of sulpiride in brain and blood by MD-HPLC\].](#)

Liu P, Yu SS, He XR.
Zhongguo Zhong Yao Za Zhi. 2012 Nov;37(21):3307-11. Chinese.

[A review of the abuse potential assessment of atomoxetine: a nonstimulant medication for attention-deficit/hyperactivity disorder.](#)

Upadhyaya HP, Desai D, Schuh KJ, Bymaster FP, Kallman MJ, Clarke DO, Durell TM, Trzepacz PT, Calligaro DO, Nisenbaum ES, Emmerson PJ, Schuh LM, Bickel WK, Allen AJ.
Psychopharmacology (Berl). 2013 Mar;226(2):189-200. doi: 10.1007/s00213-013-2986-z. Epub 2013 Feb 9.

[Determination of gemcitabine and its metabolite in extracellular fluid of rat brain tumor by ultra performance liquid chromatography-tandem mass spectrometry using microdialysis sampling after intralesional chemotherapy.](#)

Sun Y, Tang D, Chen H, Zhang F, Fan B, Zhang B, Fang S, Lu Q, Wei Y, Yin J, Yin X.
J Chromatogr B Analyt Technol Biomed Life Sci. 2013 Mar 1;919-920:10-9. doi: 10.1016/j.jchromb.2012.12.027.
Epub 2013 Jan 9.

[Effects of volatile anesthetics on the circadian rhythms of rat hippocampal acetylcholine release and locomotor activity.](#)

Kikuchi T, Tan H, Mihara T, Uchimoto K, Mitsushima D, Takase K, Morita S, Goto T, Andoh T, Kamiya Y.
Neuroscience. 2013 May 1;237:151-60. doi: 10.1016/j.neuroscience.2013.01.062. Epub 2013 Feb 8.

[Early developmental elevations of brain kynurenic acid impair cognitive flexibility in adults: reversal with galantamine.](#)

Alexander KS, Pocivavsek A, Wu HQ, Pershing ML, Schwarcz R, Bruno JP.
Neuroscience. 2013 May 15;238:19-28. doi: 10.1016/j.neuroscience.2013.01.063. Epub 2013 Feb 6.

[Rising taurine and ethanol concentrations in nucleus accumbens interact to produce the dopamine-activating effects of alcohol.](#)

Ericson M, Chau P, Adermark L, Söderpalm B.
Adv Exp Med Biol. 2013;775:215-23. doi: 10.1007/978-1-4614-6130-2_18.

[The presynaptic choline transporter imposes limits on sustained cortical acetylcholine release and attention.](#)

Parikh V, St Peters M, Blakely RD, Sarter M.
J Neurosci. 2013 Feb 6;33(6):2326-37. doi: 10.1523/JNEUROSCI.4993-12.2013.

[Distal pup cues evoke dopamine responses in hormonally primed rats in the absence of pup experience or ongoing maternal behavior.](#)

Afonso VM, Shams WM, Jin D, Fleming AS.
J Neurosci. 2013 Feb 6;33(6):2305-12. doi: 10.1523/JNEUROSCI.2081-12.2013.

[Early prediction of capillary leak syndrome in infants after cardiopulmonary bypass.](#)

Kubicki R, Grohmann J, Siepe M, Benk C, Humburger F, Rensing-Ehl A, Stiller B.
Eur J Cardiothorac Surg. 2013 Jul;44(2):275-81. doi: 10.1093/ejcts/ezt028. Epub 2013 Feb 6.

[Regional relation between skin blood flow and sweating to passive heating and local administration of acetylcholine in young, healthy humans.](#)

Smith CJ, Kenney WL, Alexander LM.
Am J Physiol Regul Integr Comp Physiol. 2013 Apr 1;304(7):R566-73. doi: 10.1152/ajpregu.00514.2012. Epub 2013 Feb 6.

[Haemoglobin management in acute brain injury.](#)

LeRoux P.
Curr Opin Crit Care. 2013 Apr;19(2):83-91. doi: 10.1097/MCC.0b013e32835eba43.

[A functional role for both -aminobutyric acid \(GABA\) transporter-1 and GABA transporter-3 in the modulation of extracellular GABA and GABAergic tonic conductances in the rat hippocampus.](#)

Kersanté F, Rowley SC, Pavlov I, Gutiérrez-Mecinas M, Semyanov A, Reul JM, Walker MC, Linthorst AC.
J Physiol. 2013 May 15;591(Pt 10):2429-41. doi: 10.1113/jphysiol.2012.246298. Epub 2013 Feb 4.

[Vortioxetine \(Lu AA21004\), a novel multimodal antidepressant, enhances memory in rats.](#)

Mørk A, Montezinho LP, Miller S, Trippodi-Murphy C, Plath N, Li Y, Gulinello M, Sanchez C.
Pharmacol Biochem Behav. 2013 Apr;105:41-50. doi: 10.1016/j.pbb.2013.01.019. Epub 2013 Feb 1.

[Selective brain region activation by histamine H₃ receptor antagonist/inverse agonist ABT-239 enhances acetylcholine and histamine release and increases c-Fos expression.](#)

Munari L, Provensi G, Passani MB, Blandina P.
Neuropharmacology. 2013 Jul;70:131-40. doi: 10.1016/j.neuropharm.2013.01.021. Epub 2013 Feb 1.

[A neuropharmacokinetic assessment of bafetinib, a second generation dual BCR-Abl/Lyn tyrosine kinase inhibitor, in patients with recurrent high-grade gliomas.](#)

Portnow J, Badie B, Markel S, Liu A, D'Apuzzo M, Frankel P, Jandial R, Synold TW.
Eur J Cancer. 2013 May;49(7):1634-40. doi: 10.1016/j.ejca.2013.01.001. Epub 2013 Feb 4.

[Effects of serotonin-norepinephrine reuptake inhibitors on locomotion and prefrontal monoamine release in spontaneously hypertensive rats.](#)

Umehara M, Ago Y, Fujita K, Hiramatsu N, Takuma K, Matsuda T.
Eur J Pharmacol. 2013 Feb 28;702(1-3):250-7. doi: 10.1016/j.ejphar.2013.01.033. Epub 2013 Jan 30.

[Natural borneol enhances geniposide ophthalmic absorption in rabbits.](#)

Song J, Bi H, Xie X, Guo J, Wang X, Liu D.

Int J Pharm. 2013 Mar 10;445(1-2):163-70. doi: 10.1016/j.ijpharm.2013.01.047. Epub 2013 Jan 30.

[Re: Stereotactic microdialysis of the basal ganglia in Parkinson's disease. Author reply.](#)

Dizdar N, Zsigmond P, Kullman A, Dernroth Nezirevic D.

J Neurosci Methods. 2013 Jan 30;212(2):363. doi: 10.1016/j.jneumeth.2013.01.005. No abstract available.

[Re: Stereotactic microdialysis of the basal ganglia in Parkinson's disease.](#)

Fedele E, Stanzione P, Stefani A.

J Neurosci Methods. 2013 Jan 30;212(2):362. doi: 10.1016/j.jneumeth.2013.01.004. No abstract available.

[In vivo calibration of microdialysis using infusion of stable-isotope labeled neurotransmitters.](#)

Hershey ND, Kennedy RT.

ACS Chem Neurosci. 2013 May 15;4(5):729-36. doi: 10.1021/cn300199m. Epub 2013 Jan 29.

[Simulations and visualizations for interpretation of brain microdialysis data during deep brain stimulation.](#)

Diczfalusy E, Dizdar N, Zsigmond P, Kullman A, Loyd D, Wårdell K.

Conf Proc IEEE Eng Med Biol Soc. 2012;2012:6438-41. doi: 10.1109/EMBC.2012.6347468.

[Na⁺-independent nucleoside transporters regulate adenosine and hypoxanthine levels in Müller cells and the inner blood-retinal barrier.](#)

Akanuma S, Soutome T, Hisada E, Tachikawa M, Kubo Y, Hosoya K.

Invest Ophthalmol Vis Sci. 2013 Feb 27;54(2):1469-77. doi: 10.1167/iovs.12-10905.

[In vitro and in vivo evaluation of three metronidazole topical products.](#)

Miron DS, Rădulescu FS, Benfeldt E, Shah VP, Voicu VA.

Pharm Dev Technol. 2013 Jan 30. [Epub ahead of print]

[Cross-sensitization between cocaine and acute restraint stress is associated with sensitized dopamine but not glutamate release in the nucleus accumbens.](#)

Garcia-Keller C, Martinez SA, Esparza MA, Bollati F, Kalivas PW, Cancela LM.

Eur J Neurosci. 2013 Mar;37(6):982-95. doi: 10.1111/ejn.12121. Epub 2013 Jan 29.

[Cutaneous noradrenaline measured by microdialysis in complex regional pain syndrome during whole-body cooling and heating.](#)

Terkelsen AJ, Gierthmühlen J, Petersen LJ, Knudsen L, Christensen NJ, Kehr J, Yoshitake T, Madsen CS, Wasner G, Baron R, Jensen TS.

Exp Neurol. 2013 Jan 26. doi:pil: S0014-4886(13)00030-7. 10.1016/j.expneurol.2013.01.017. [Epub ahead of print]

[Hippocampal insulin microinjection and in vivo microdialysis during spatial memory testing.](#)

McNay EC, Sandusky LA, Pearson-Leary J.

J Vis Exp. 2013 Jan 11;(71):e4451. doi: 10.3791/4451.

[Iontophoresis of amoxicillin and cefuroxime: rapid therapeutic concentrations in skin.](#)

Mannem V, Nanjarapalle C, Stagni G.

Drug Dev Ind Pharm. 2013 Jan 25. [Epub ahead of print]

[In vivo microdialysis for the evaluation of transfersomes as a novel transdermal delivery vehicle for cinnamic acid.](#)

Zhang YT, Xu YM, Zhang SJ, Zhao JH, Wang Z, Xu DQ, Feng NP.

Drug Dev Ind Pharm. 2013 Jan 25. [Epub ahead of print]

[Monitoring of the first stages of bone healing with microdialysis.](#)

Förster Y, Gao W, Demmrich A, Hempel U, Hofbauer LC, Rammelt S.

Acta Orthop. 2013 Feb;84(1):76-81. doi: 10.3109/17453674.2013.769080. Epub 2013 Jan 25.

[Behavioral, neurochemical and morphological changes induced by the overexpression of munc18-1a in brain of mice: relevance to schizophrenia.](#)

Urigüen L, Gil-Pisa I, Munarriz-Cuezva E, Berrocoso E, Pascau J, Soto-Montenegro ML, Gutiérrez-Adán A, Pintado B, Madrigal JL, Castro E, Sánchez-Blázquez P, Ortega JE, Guerrero MJ, Ferrer-Alcon M, García-Sevilla JA, Micó JA, Desco M, Leza JC, Pazos A, Garzón J, Meana JJ.

Transl Psychiatry. 2013 Jan 22;3:e221. doi: 10.1038/tp.2012.149.

[Development and optimization of an integrated PDMS based-microdialysis microchip electrophoresis device with on-chip derivatization for continuous monitoring of primary amines.](#)

Nandi P, Scott DE, Desai D, Lunte SM.

Electrophoresis. 2013 Mar;34(6):895-902. doi: 10.1002/elps.201200454. Epub 2013 Feb 26.

[The mPer2 clock gene modulates cocaine actions in the mouse circadian system.](#)

Brager AJ, Stowie AC, Prosser RA, Glass JD.

Behav Brain Res. 2013 Apr 15;243:255-60. doi: 10.1016/j.bbr.2013.01.014. Epub 2013 Jan 17.

[Increased melatonin may play dual roles in the striata of a 6-hydroxydopamine model of Parkinson's disease.](#)

Lin L, Meng T, Liu T, Zheng Z.

Life Sci. 2013 Mar 12;92(4-5):311-6. doi: 10.1016/j.lfs.2013.01.007. Epub 2013 Jan 16.

[Sustained Impairment of \$\alpha\$ 2A-Adrenergic Autoreceptor Signaling Mediates Neurochemical and Behavioral Sensitization to Amphetamine.](#)

Doucet EL, Bobadilla AC, Houades V, Lanteri C, Godeheu G, Lanfumey L, Sara SJ, Tassin JP.

Biol Psychiatry. 2013 Jul 15;74(2):90-8. doi: 10.1016/j.biopsych.2012.11.029. Epub 2013 Jan 17.

[Physiological monitoring of the severe traumatic brain injury patient in the intensive care unit.](#)

Le Roux P.

Curr Neurol Neurosci Rep. 2013 Mar;13(3):331. doi: 10.1007/s11910-012-0331-2. Review.

[\[Changes of glutamate and \$\gamma\$ -aminobutyric acid of extracellular fluid in hippocampus during electrical stimulation of anterior nucleus thalamus in rats\].](#)

Chen N, Meng FG, Zhang JG, Yang AC, Liu HG, Hu WH, Meng DW, Zhang X, Liu C, Ge Y. Zhonghua Yi Xue Za Zhi. 2012 Dec 18;92(47):3371-3. Chinese.

[Sleep-wake sensitive mechanisms of adenosine release in the basal forebrain of rodents: an in vitro study.](#)

Sims RE, Wu HH, Dale N.

PLoS One. 2013;8(1):e53814. doi: 10.1371/journal.pone.0053814. Epub 2013 Jan 11.

[A quantitative phenytoin GC-MS method and its validation for samples from human ex situ brain microdialysis, blood and saliva using solid-phase extraction.](#)

Hösli R, Tobler A, König S, Mühlebach S.

J Anal Toxicol. 2013 Mar;37(2):102-9. doi: 10.1093/jat/bks137. Epub 2013 Jan 16.

[Fast detection of renal ischemia in transplanted kidneys with delayed graft function-an experimental study.](#)

Keller AK, Jørgensen TM, Vittrup DM, Kjerkegaard UK, Jespersen B, Krag SR, Bibby BM, Stolle LB.

Transplantation. 2013 Jan 27;95(2):275-9. doi: 10.1097/TP.0b013e318276a1c8.

[L-Theanine intake increases threshold for limbic seizures but decreases threshold for generalized seizures.](#)

Schallier A, Vermoesen K, Loyens E, Van Liefferinge J, Michotte Y, Smolders I, Massie A. *Nutr Neurosci*. 2013 Mar;16(2):78-82. doi: 10.1179/1476830512Y.0000000033. Epub 2012 Dec 4.

[Triamcinolone acetonide decreases outflow facility in C57BL/6 mouse eyes.](#)

Kumar S, Shah S, Deutsch ER, Tang HM, Danias J.

Invest Ophthalmol Vis Sci. 2013 Feb 1;54(2):1280-7. doi: 10.1167/iov.12-11223.

[Platelet-activating factor \(PAF\) induces wheal and flare skin reactions independent of mast cell degranulation.](#)

Krause K, Giménez-Arnau A, Martínez-Escala E, Farré-Albadalejo M, Abajian M, Church MK, Maurer M.

Allergy. 2013 Feb;68(2):256-8. doi: 10.1111/all.12083.

[Nitric oxide-mediated cutaneous microvascular function is impaired in polycystic ovary syndrome but can be improved by exercise training.](#)

Sprung VS, Cuthbertson DJ, Pugh CJ, Daousi C, Atkinson G, Aziz NF, Kemp GJ, Green DJ, Cable NT, Jones H.

J Physiol. 2013 Mar 15;591(Pt 6):1475-87. doi: 10.1113/jphysiol.2012.246918. Epub 2013 Jan 14.

[Impaired acetylcholine-induced cutaneous vasodilation in young smokers: roles of nitric oxide and prostanoids.](#)

Fujii N, Reinke MC, Brunt VE, Minson CT.

Am J Physiol Heart Circ Physiol. 2013 Mar 1;304(5):H667-73. doi: 10.1152/ajpheart.00731.2012. Epub 2013 Jan 11.

[Subcortical dopaminergic deficits in a DISC1 mutant model: a study in direct reference to human molecular brain imaging.](#)

Jaaro-Peled H, Niwa M, Foss CA, Murai R, de Los Reyes S, Kamiya A, Mateo Y, O'Donnell P, Cascella NG, Nabeshima T, Guilarte TR, Pomper MG, Sawa A.

Hum Mol Genet. 2013 Apr 15;22(8):1574-80. doi: 10.1093/hmg/ddt007. Epub 2013 Jan 11.

[Accumbal and pallidal dopamine, glutamate and GABA overflow during cocaine self-administration and its extinction in rats.](#)

Wydra K, Golembiowska K, Zaniewska M, Kamińska K, Ferraro L, Fuxe K, Filip M.

Addict Biol. 2013 Mar;18(2):307-24. doi: 10.1111/adb.12031. Epub 2013 Jan 14.

[Neurocircuitry underlying the preferential sensitivity of prefrontal catecholamines to low-dose psychostimulants.](#)

Schmeichel BE, Berridge CW.

Neuropsychopharmacology. 2013 May;38(6):1078-84. doi: 10.1038/npp.2013.6. Epub 2013 Feb 6.

[Impact of serotonin \(5-HT\)_{2C} receptors on executive control processes.](#)

Pennanen L, van der Hart M, Yu L, Tecott LH.

Neuropsychopharmacology. 2013 May;38(6):957-67. doi: 10.1038/npp.2012.258. Epub 2012 Dec 13.

[Modulation of extracellular d-serine content by calcium permeable AMPA receptors in rat medial prefrontal cortex as revealed by in vivo microdialysis.](#)

Ishiwata S, Umino A, Umino M, Yorita K, Fukui K, Nishikawa T.

Int J Neuropsychopharmacol. 2013 Jul;16(6):1395-406. doi: 10.1017/S1461145712001484. Epub 2013 Jan 9.

[In vivo pharmacokinetics and in vitro antifungal activity of iodiconazole, a new triazole, determined by microdialysis sampling.](#)

Sun N, Xie Y, Sheng C, Cao Y, Zhang W, Chen H, Fan G.

Int J Antimicrob Agents. 2013 Mar;41(3):229-35. doi: 10.1016/j.ijantimicag.2012.10.020. Epub 2013 Jan 6.

[In vivo brain microdialysis as a formulation-screening tool for a poorly soluble centrally acting drug.](#)

Bommana MM, Kirthivasan B, Shikhar A, Gupta SS, Squillante E.
Drug Dev Ind Pharm. 2013 Jan 9. [Epub ahead of print]

[Inhibition of histamine release by local and intracerebroventricular infusion of galanin in hypothalamus, hippocampus and prefrontal cortex of awake rat: A microdialysis study.](#)

Yoshitake S, Ijiri S, Kehr J, Yoshitake T.

Neurosci Lett. 2013 Feb 8;534:58-63. doi: 10.1016/j.neulet.2012.12.036. Epub 2013 Jan 4.

[\[In vivo screening of illegal drug\].](#)

Ogata A, Satoh K, Fuwa T, Tanaka T, Nagasawa A, Yuzawa K, Yano N, Ando H, Kubo Y, Takahashi H, Ohyama K, Miyazawa M, Kojima T.

Yakugaku Zasshi. 2013;133(1):25-9. Japanese.

[Adolescent nicotine sensitization and effects of nicotine on accumbal dopamine release in a rodent model of increased dopamine D2 receptor sensitivity.](#)

Perna MK, Brown RW.

Behav Brain Res. 2013 Apr 1;242:102-9. doi: 10.1016/j.bbr.2012.12.037. Epub 2013 Jan 3.

[The dopamine beta-hydroxylase inhibitor nopicastat increases dopamine release and potentiates psychostimulant-induced dopamine release in the prefrontal cortex.](#)

Devoto P, Flore G, Saba P, Bini V, Gessa GL.

Addict Biol. 2013 Jan 7. doi: 10.1111/adb.12026. [Epub ahead of print]

[Characterization of electroencephalographic and biochemical responses at 5-HT promoting drug-induced onset of serotonin syndrome in rats.](#)

Ma Z, Rudacille M, Prentice HM, Tao R.

J Neurochem. 2013 Jun;125(5):774-89. doi: 10.1111/jnc.12141. Epub 2013 Jan 28.

[Involvement of the \$\alpha\$ 1D-adrenergic Receptor in Methamphetamine-Induced Hyperthermia and Neurotoxicity in Rats.](#)

Kikuchi-Utsumi K, Ishizaka M, Matsumura N, Watabe M, Aoyama K, Sasakawa N, Nakaki T.

Neurotox Res. 2013 Aug;24(2):130-8. doi: 10.1007/s12640-012-9369-9. Epub 2013 Jan 3.

[Seizure-induced 5-HT release and chronic impairment of serotonergic function in rats.](#)

Lin WH, Huang HP, Lin MX, Chen SG, Lv XC, Che CH, Lin JL.

Neurosci Lett. 2013 Feb 8;534:1-6. doi: 10.1016/j.neulet.2012.12.007. Epub 2012 Dec 28.

[The diagnostic accuracy of brain microdialysis during surgery: a qualitative systematic review.](#)

Bossers SM, de Boer RD, Boer C, Peerdeman SM.

Acta Neurochir (Wien). 2013 Feb;155(2):345-53. doi: 10.1007/s00701-012-1582-z. Epub 2012 Dec 29.

[Concurrent modulation of extracellular levels of noradrenaline and cAMP during stress and by anxiogenic- or anxiolytic-like neuropeptides in the prefrontal cortex of awake rats.](#)

Yoshitake S, Ijiri S, Kehr J, Yoshitake T.

Neurochem Int. 2013 Feb;62(3):314-23. doi: 10.1016/j.neuint.2012.12.011. Epub 2012 Dec 27.

[Atropine microdialysis within or near the pre-Botzinger Complex increases breathing frequency more during wakefulness than during NREM sleep.](#)

Muere C, Neumueller S, Miller J, Olesiak S, Hodges MR, Pan L, Forster HV.

J Appl Physiol. 2013 Mar 1;114(5):694-704. doi: 10.1152/jappphysiol.00634.2012. Epub 2012 Dec 27.

[A sensitive and selective quantification of catecholamine neurotransmitters in rat microdialysates by pre-column dansyl chloride derivatization using liquid chromatography-tandem mass spectrometry.](#)

Nirogi R, Komarneni P, Kandikere V, Boggavarapu R, Bhyrapuneni G, Benade V, Gorentla S.

J Chromatogr B Analyt Technol Biomed Life Sci. 2013 Jan 15;913-914:41-7. doi: 10.1016/j.jchromb.2012.09.034. Epub 2012 Sep 27.

[Study of the potential oxidative stress induced by six solvents in the rat brain.](#)

Chalansonnet M, Carabin N, Boucard S, Cosnier F, Nunge H, Gagnaire F.
Neurotoxicology. 2013 Mar;35:71-83. doi: 10.1016/j.neuro.2012.12.002. Epub 2012 Dec 25.

[Effect of tyramine on the production of interstitial adenosine during perfusion with adenosine 5'-monophosphate in rat hearts in vivo.](#)

Obata T, Miyashita M.
Eur J Pharmacol. 2013 Jan 30;700(1-3):60-4. doi: 10.1016/j.ejphar.2012.12.011. Epub 2012 Dec 25. Review.

[Mechanisms of glycine release, which build up synaptic and extrasynaptic glycine levels: the role of synaptic and non-synaptic glycine transporters.](#)

Harsing LG Jr, Matyus P.
Brain Res Bull. 2013 Apr;93:110-9. doi: 10.1016/j.brainresbull.2012.12.002. Epub 2012 Dec 22.

[Is cerebral microdialysis a clinical tool?](#)

Helmy A, Hutchinson P.
Acta Neurochir (Wien). 2013 Feb;155(2):355-6. doi: 10.1007/s00701-012-1588-6. Epub 2012 Dec 21. No abstract available.

[Adenosine A\(1\) receptors in mouse pontine reticular formation depress breathing, increase anesthesia recovery time, and decrease acetylcholine release.](#)

Gettys GC, Liu F, Kimlin E, Baghdoyan HA, Lydic R.
Anesthesiology. 2013 Feb;118(2):327-36. doi: 10.1097/ALN.0b013e31827d413e.

[Extracellular Ca²⁺ fluctuations in vivo affect afterhyperpolarization potential and modify firing patterns of neocortical neurons.](#)

Boucetta S, Crochet S, Chauvette S, Seigneur J, Timofeev I.
Exp Neurol. 2013 Jul;245:5-14. doi: 10.1016/j.expneurol.2012.12.001. Epub 2012 Dec 19.

[Tianeptine modulates amygdalar glutamate neurochemistry and synaptic proteins in rats subjected to repeated stress.](#)

Piroli GG, Reznikov LR, Grillo CA, Hagar JM, Fadel JR, Reagan LP.
Exp Neurol. 2013 Mar;241:184-93. doi: 10.1016/j.expneurol.2012.12.005. Epub 2012 Dec 19.

[Psychostimulant pharmacological profile of paraxanthine, the main metabolite of caffeine in humans.](#)

Orrú M, Guitart X, Karcz-Kubicha M, Solinas M, Justinova Z, Barodia SK, Zanolini J, Cortes A, Lluís C, Casado V, Moeller FG, Ferré S.
Neuropharmacology. 2013 Apr;67:476-84. doi: 10.1016/j.neuropharm.2012.11.029. Epub 2012 Dec 19.

[Refractory status epilepticus in a patient with short bowel syndrome--a microdialysis study.](#)

Schiefecker AJ, Beer R, Steidl J, Sohm F, Griesmacher A, Brendel AK, Unterberger I, Fischer M, Dietmann A, Pfausler B, Thome C, Schmutzhard E, Helbok R.
Seizure. 2013 Apr;22(3):236-9. doi: 10.1016/j.seizure.2012.11.016. Epub 2012 Dec 21. No abstract available.

[Differential effects of environmental enrichment and isolation housing on the hormonal and neurochemical responses to stress in the prefrontal cortex of the adult rat: relationship to working and emotional memories.](#)

Garrido P, De Blas M, Ronzoni G, Cordero I, Antón M, Giné E, Santos A, Del Arco A, Segovia G, Mora F.
J Neural Transm. 2013 May;120(5):829-43. doi: 10.1007/s00702-012-0935-3. Epub 2012 Dec 20.

[Mass spectrometric detection of neuropeptides using affinity-enhanced microdialysis with antibody-coated magnetic nanoparticles.](#)

Schmerberg CM, Li L.

Anal Chem. 2013 Jan 15;85(2):915-22. doi: 10.1021/ac302403e. Epub 2013 Jan 3.

[Alcohol drinking and deprivation alter basal extracellular glutamate concentrations and clearance in the mesolimbic system of alcohol-preferring \(P\) rats.](#)

Ding ZM, Rodd ZA, Engleman EA, Bailey JA, Lahiri DK, McBride WJ.
Addict Biol. 2013 Mar;18(2):297-306. doi: 10.1111/adb.12018. Epub 2012 Dec 14.

[Critical illness myopathy and GLUT4: significance of insulin and muscle contraction.](#)

Weber-Carstens S, Schneider J, Wollersheim T, Assmann A, Bierbrauer J, Marg A, Al Hasani H, Chadt A, Wenzel K, Koch S, Fielitz J, Kleber C, Faust K, Mai K, Spies CD, Luft FC, Boschmann M, Spranger J, Spuler S.
Am J Respir Crit Care Med. 2013 Feb 15;187(4):387-96. doi: 10.1164/rccm.201209-1649OC. Epub 2012 Dec 13.

[The administration of endocannabinoid uptake inhibitors OMDM-2 or VDM-11 promotes sleep and decreases extracellular levels of dopamine in rats.](#)

Murillo-Rodríguez E, Palomero-Rivero M, Millán-Aldaco D, Di Marzo V.
Physiol Behav. 2013 Jan 17;109:88-95. doi: 10.1016/j.physbeh.2012.11.007. Epub 2012 Dec 11.

[Extracellular brain pH with or without hypoxia is a marker of profound metabolic derangement and increased mortality after traumatic brain injury.](#)

Timofeev I, Nortje J, Al-Rawi PG, Hutchinson PJ, Gupta AK.
J Cereb Blood Flow Metab. 2013 Mar;33(3):422-7. doi: 10.1038/jcbfm.2012.186. Epub 2012 Dec 12.

[Hyperammonemia alters the modulation by different neurosteroids of the glutamate-nitric oxide-cyclic GMP pathway through NMDA- GABAA - or sigma receptors in cerebellum in vivo.](#)

González-Usano A, Cauli O, Agustí A, Felipe V.
J Neurochem. 2013 Apr;125(1):133-43. doi: 10.1111/jnc.12119. Epub 2013 Feb 17.

[Clusters of spreading depolarizations are associated with disturbed cerebral metabolism in patients with aneurysmal subarachnoid hemorrhage.](#)

Sakowitz OW, Santos E, Nagel A, Krajewski KL, Hertle DN, Vajkoczy P, Dreier JP, Unterberg AW, Sarrafzadeh AS.
Stroke. 2013 Jan;44(1):220-3. doi: 10.1161/STROKEAHA.112.672352. Epub 2012 Dec 6.

[Relief of hypersensitivity after nerve injury from systemic donepezil involves spinal cholinergic and \$\gamma\$ -aminobutyric acid mechanisms.](#)

Kimura M, Hayashida K, Eisenach JC, Saito S, Obata H.
Anesthesiology. 2013 Jan;118(1):173-80. doi: 10.1097/ALN.0b013e318277a81c.

[Identification of the mechanism mediating genioglossus muscle suppression in REM sleep.](#)

Grace KP, Hughes SW, Horner RL.
Am J Respir Crit Care Med. 2013 Feb 1;187(3):311-9. doi: 10.1164/rccm.201209-1654OC. Epub 2012 Dec 6.

[Effects of adolescent social defeat on adult amphetamine-induced locomotion and corticoaccumbal dopamine release in male rats.](#)

Burke AR, Forster GL, Novick AM, Roberts CL, Watt MJ.
Neuropharmacology. 2013 Apr;67:359-69. doi: 10.1016/j.neuropharm.2012.11.013. Epub 2012 Dec 6.

[Food reward-sensitive interaction of ghrelin and opioid receptor pathways in mesolimbic dopamine system.](#)

Kawahara Y, Kaneko F, Yamada M, Kishikawa Y, Kawahara H, Nishi A.
Neuropharmacology. 2013 Apr;67:395-402. doi: 10.1016/j.neuropharm.2012.11.022. Epub 2012 Dec 7.

[Brain monoamines and antidepressant-like responses in MRL/MpJ versus C57BL/6J mice.](#)

Balu DT, Turner JR, Brookshire BR, Hill-Smith TE, Blendy JA, Lucki I.
Neuropharmacology. 2013 Apr;67:503-10. doi: 10.1016/j.neuropharm.2012.11.027. Epub 2012 Dec 6.

[Retrodialysis of N/OFQ into the nucleus accumbens shell blocks cocaine-induced increases in extracellular dopamine and locomotor activity.](#)

Vazquez-DeRose J, Stauber G, Khroyan TV, Xie XS, Zaveri NT, Toll L.
Eur J Pharmacol. 2013 Jan 15;699(1-3):200-6. doi: 10.1016/j.ejphar.2012.11.050. Epub 2012 Dec 5.

[Lesion of medial prefrontal dopamine terminals abolishes habituation of accumbens shell dopamine responsiveness to taste stimuli.](#)

Bimpisidis Z, De Luca MA, Pisanu A, Di Chiara G.
Eur J Neurosci. 2013 Feb;37(4):613-22. doi: 10.1111/ejn.12068. Epub 2012 Dec 6.

[Impact and benefit of A\(2B\)-adenosine receptor agonists for the respiratory tract: mucociliary clearance, ciliary beat frequency, trachea muscle tonus and cytokine release.](#)

Walaschewski R, Begrow F, Verspohl EJ.
J Pharm Pharmacol. 2013 Jan;65(1):123-32. doi: 10.1111/j.2042-7158.2012.01580.x. Epub 2012 Aug 16.

[Highly selective electrochemical strategy for monitoring of cerebral Cu²⁺ based on a carbon Dot-TPEA hybridized surface.](#)

Shao X, Gu H, Wang Z, Chai X, Tian Y, Shi G.
Anal Chem. 2013 Jan 2;85(1):418-25. doi: 10.1021/ac303113n. Epub 2012 Dec 18.

[Tissue pharmacokinetics of ertapenem at steady-state in diabetic patients with leg infections.](#)

Sauer mann R, Burian B, Burian A, Jäger W, Höferl M, Stella A, Theurer S, Riedl M, Zeitlinger M.
J Antimicrob Chemother. 2013 Apr;68(4):895-9. doi: 10.1093/jac/dks479. Epub 2012 Dec 4.

[Simultaneous and accurate real-time monitoring of glucose and ethanol in alcoholic drinks, must, and biomass by a dual-amperometric biosensor.](#)

Mentana A, Palermo C, Nardiello D, Quinto M, Centonze D.
J Agric Food Chem. 2013 Jan 9;61(1):61-8. doi: 10.1021/jf3031474. Epub 2012 Dec 20.

[The use of microdialysis techniques in mice to study P-gp function at the blood-brain barrier.](#)

Sziráki I, Erdő F, Trampus P, Sike M, Molnár PM, Rajnai Z, Molnár J, Wilhelm I, Fazakas C, Kis E, Krizbai I, Krajcsi P.
J Biomol Screen. 2013 Apr;18(4):430-40. doi: 10.1177/1087057112468156. Epub 2012 Nov 29.

[Pharmacokinetics and dopamine/acetylcholine releasing effects of ginsenoside Re in hippocampus and mPFC of freely moving rats.](#)

Shi J, Xue W, Zhao WJ, Li KX.
Acta Pharmacol Sin. 2013 Feb;34(2):214-20. doi: 10.1038/aps.2012.147. Epub 2012 Dec 3.

[In vivo occupancy of dopamine D3 receptors by antagonists produces neurochemical and behavioral effects of potential relevance to attention-deficit-hyperactivity disorder.](#)

Barth V, Need AB, Tzavara ET, Giros B, Overshiner C, Gleason SD, Wade M, Johansson AM, Perry K, Nomikos GG, Witkin JM.
J Pharmacol Exp Ther. 2013 Feb;344(2):501-10. doi: 10.1124/jpet.112.198895. Epub 2012 Nov 29.

[Tetrahydrobiopterin increases NO-dependent vasodilation in hypercholesterolemic human skin through eNOS-coupling mechanisms.](#)

Alexander LM, Kutz JL, Kenney WL.
Am J Physiol Regul Integr Comp Physiol. 2013 Jan 15;304(2):R164-9. doi: 10.1152/ajpregu.00448.2012. Epub 2012 Nov 28.

[Clinical experience with microdialysis catheters in pediatric liver transplants.](#)

Haugaa H, Almaas R, Thorgersen EB, Foss A, Line PD, Sanengen T, Bergmann GB, Ohlin P, Waelgaard L, Grindheim G, Pischke SE, Mollnes TE, Tønnessen TI.

Liver Transpl. 2013 Mar;19(3):305-14. doi: 10.1002/lt.23578.

[Self-administration of cocaine induces dopamine-independent self-administration of sigma agonists.](#)

Hiranita T, Mereu M, Soto PL, Tanda G, Katz JL.

Neuropsychopharmacology. 2013 Mar;38(4):605-15. doi: 10.1038/npp.2012.224. Epub 2012 Nov 28.

[Metabolic effects of three different inotropic strategies in the newborn piglet myocardium.](#)

Colding PD, Kolstrup LM, Hyldebrandt JA, Schmidt MR, Bøtker HE, Ravn HB.

Acta Anaesthesiol Scand. 2013 Apr;57(4):443-51. doi: 10.1111/aas.12005. Epub 2012 Nov 27.

[Involvement of cytochrome epoxygenase metabolites in cutaneous postocclusive hyperemia in humans.](#)

Cracowski JL, Gaillard-Bigot F, Cracowski C, Sors C, Roustit M, Millet C.

J Appl Physiol. 2013 Jan 15;114(2):245-51. doi: 10.1152/jappphysiol.01085.2012. Epub 2012 Nov 21.

[The volitional nature of nicotine exposure alters anandamide and oleoylethanolamide levels in the ventral tegmental area.](#)

Buczynski MW, Polis IY, Parsons LH.

Neuropsychopharmacology. 2013 Mar;38(4):574-84. doi: 10.1038/npp.2012.210. Epub 2012 Nov 21.

[Insight into tissue unbound concentration: utility in drug discovery and development.](#)

Mariappan TT, Mandlekar S, Marathe P.

Curr Drug Metab. 2013 Mar;14(3):324-40.

[Diet-induced obesity: dopamine transporter function, impulsivity and motivation.](#)

Narayanaswami V, Thompson AC, Cassis LA, Bardo MT, Dwoskin LP.

Int J Obes (Lond). 2013 Aug;37(8):1095-103. doi: 10.1038/ijo.2012.178. Epub 2012 Nov 20.

[Chronic escalating cocaine exposure, abstinence/withdrawal, and chronic re-exposure: effects on striatal dopamine and opioid systems in C57BL/6J mice.](#)

Zhang Y, Schlussman SD, Rabkin J, Butelman ER, Ho A, Kreek MJ.

Neuropharmacology. 2013 Apr;67:259-66. doi: 10.1016/j.neuropharm.2012.10.015. Epub 2012 Nov 16.

[Influence of chronic amphetamine treatment and acute withdrawal on serotonin synthesis and clearance mechanisms in the rat ventral hippocampus.](#)

Barr JL, Scholl JL, Solanki RR, Watt MJ, Lowry CA, Renner KJ, Forster GL.

Eur J Neurosci. 2013 Feb;37(3):479-90. doi: 10.1111/ejn.12050. Epub 2012 Nov 14.

[Sex differences in postsynaptic sweating and cutaneous vasodilation.](#)

Gagnon D, Crandall CG, Kenny GP.

J Appl Physiol. 2013 Feb;114(3):394-401. doi: 10.1152/jappphysiol.00877.2012. Epub 2012 Nov 15.

[Protective effects of reducing renal ischemia-reperfusion injury during renal hilar clamping: use of allopurinol as a nephroprotective agent.](#)

Keel CE, Wang Z, Colli J, Grossman L, Majid D, Lee BR.

Urology. 2013 Jan;81(1):210.e5-10. doi: 10.1016/j.urology.2012.08.016. Epub 2012 Nov 13.

[Mild cold exposure modulates fibroblast growth factor 21 \(FGF21\) diurnal rhythm in humans: relationship between FGF21 levels, lipolysis, and cold-induced thermogenesis.](#)

Lee P, Brychta RJ, Linderman J, Smith S, Chen KY, Celi FS.

J Clin Endocrinol Metab. 2013 Jan;98(1):E98-102. doi: 10.1210/jc.2012-3107. Epub 2012 Nov 12.

[Release of norepinephrine in the preoptic area activates anteroventral periventricular nucleus neurons and stimulates the surge of luteinizing hormone.](#)

Szawka RE, Poletini MO, Leite CM, Bernuci MP, Kalil B, Mendonça LB, Carolino RO, Helena CV, Bertram R, Franci CR, Anselmo-Franci JA.

Endocrinology. 2013 Jan;154(1):363-74. doi: 10.1210/en.2012-1302. Epub 2012 Nov 13.

[Mice heterozygous for AChE are more sensitive to AChE inhibitors but do not respond to BuChE inhibition.](#)

Mohr F, Zimmermann M, Klein J.

Neuropharmacology. 2013 Apr;67:37-45. doi: 10.1016/j.neuropharm.2012.11.001. Epub 2012 Nov 9.

[In vivo study on the monoamine neurotransmitters and their metabolites change in the striatum of Parkinsonian rats by liquid chromatography with an acetylene black nanoparticles modified electrode.](#)

Lin L, Yang J, Lin R, Yu L, Gao H, Yang S, Li X.

J Pharm Biomed Anal. 2013 Jan;72:74-9. doi: 10.1016/j.jpba.2012.09.011. Epub 2012 Sep 23.

[Neuroprotective effect of preoperatively induced mild hypothermia as determined by biomarkers and histopathological estimation in a rat subdural hematoma decompression model.](#)

Yokobori S, Gajavelli S, Mondello S, Mo-Seaney J, Bramlett HM, Dietrich WD, Bullock MR.

J Neurosurg. 2013 Feb;118(2):370-80. doi: 10.3171/2012.10.JNS12725. Epub 2012 Nov 9.

[Intrahypothalamic estradiol regulates glucose metabolism via the sympathetic nervous system in female rats.](#)

Liu J, Bisschop PH, Eggels L, Foppen E, Ackermans MT, Zhou JN, Fliers E, Kalsbeek A.

Diabetes. 2013 Feb;62(2):435-43. doi: 10.2337/db12-0488. Epub 2012 Nov 8.

[Cutaneous microvascular dysfunction correlates with serum LDL and sLOX-1 receptor concentrations.](#)

Kenney WL, Cannon JG, Alexander LM.

Microvasc Res. 2013 Jan;85:112-7. doi: 10.1016/j.mvr.2012.10.010. Epub 2012 Nov 6.

[Evaluation of a continuous blood glucose monitoring system using a central venous catheter with an integrated microdialysis function.](#)

Schierenbeck F, Öwall A, Franco-Cereceda A, Liska J.

Diabetes Technol Ther. 2013 Jan;15(1):26-31. doi: 10.1089/dia.2012.0169. Epub 2012 Nov 8.

[Acute effects of pyrethroids on serotonin release in the striatum of awake rats: an in vivo microdialysis study.](#)

Hossain MM, Suzuki T, Richardson JR, Kobayashi H.

J Biochem Mol Toxicol. 2013 Feb;27(2):150-6. doi: 10.1002/jbt.21450. Epub 2012 Nov 6.

[Experimental myalgia induced by repeated infusion of acidic saline into the human masseter muscle does not cause the release of algescic substances.](#)

Ernberg M, Castrillon EE, Ghafouri B, Larsson B, Gerdle B, List T, Svensson P.

Eur J Pain. 2013 Apr;17(4):539-50. doi: 10.1002/j.1532-2149.2012.00216.x. Epub 2012 Nov 7.

[Too much of a good thing: blocking noradrenergic facilitation in medial prefrontal cortex prevents the detrimental effects of chronic stress on cognition.](#)

Jett JD, Morilak DA.

Neuropsychopharmacology. 2013 Mar;38(4):585-95. doi: 10.1038/npp.2012.216. Epub 2012 Nov 7.

[Dopamine D₃ receptor antagonism--still a therapeutic option for the treatment of schizophrenia.](#)

Gross G, Wicke K, Drescher KU.

Naunyn Schmiedebergs Arch Pharmacol. 2013 Feb;386(2):155-66. doi: 10.1007/s00210-012-0806-3. Epub 2012 Nov 6. Review.

[Biofuel cell-based self-powered biogenerators for online continuous monitoring of neurochemicals in rat brain.](#)

Cheng H, Yu P, Lu X, Lin Y, Ohsaka T, Mao L.
Analyst. 2013 Jan 7;138(1):179-85. doi: 10.1039/c2an36385b. Epub 2012 Nov 2.

[The selective phosphodiesterase-5 inhibitor tadalafil induces microvascular and metabolic effects in type 2 diabetic postmenopausal females.](#)

Murdolo G, Sjöstrand M, Strindberg L, Lönnroth P, Jansson PA.
J Clin Endocrinol Metab. 2013 Jan;98(1):245-54. doi: 10.1210/jc.2012-1830. Epub 2012 Nov 1.

[Participation of hippocampal agmatine in spatial learning: an in vivo microdialysis study.](#)

Rushaidhi M, Jing Y, Zhang H, Liu P.
Neuropharmacology. 2013 Feb;65:200-5. doi: 10.1016/j.neuropharm.2012.10.007. Epub 2012 Oct 29.

[Changes in cerebral oxidative metabolism in patients with acute liver failure.](#)

Bjerring PN, Larsen FS.
Metab Brain Dis. 2013 Jun;28(2):179-82. doi: 10.1007/s11011-012-9346-2. Epub 2012 Oct 26.

[Size-tunable Pt nanoparticles assembled on functionalized ordered mesoporous carbon for the simultaneous and on-line detection of glucose and L-lactate in brain microdialysate.](#)

Yu Y, Yang Y, Gu H, Zhou T, Shi G.
Biosens Bioelectron. 2013 Mar 15;41:511-8. doi: 10.1016/j.bios.2012.09.055. Epub 2012 Oct 5.

[Relative recovery over time - an in vivo microdialysis study of human skeletal muscle.](#)

Olausson P, Gerdle B, Ghafouri N, Karlsson L, Larsson B, Ghafouri B.
Scand J Clin Lab Invest. 2013 Feb;73(1):10-6. doi: 10.3109/00365513.2012.729081. Epub 2012 Oct 23.

[DREADDing the lateral habenula: a review of methodological approaches for studying lateral habenula function.](#)

Nair SG, Strand NS, Neumaier JF.
Brain Res. 2013 May 20;1511:93-101. doi: 10.1016/j.brainres.2012.10.011. Epub 2012 Oct 18.

[Effects of nitric oxide synthase inhibition on cutaneous vasodilation in response to acupuncture stimulation in humans.](#)

Kimura K, Takeuchi H, Yuri K, Wakayama I.
Acupunct Med. 2013 Mar;31(1):74-80. doi: 10.1136/acupmed-2012-010177. Epub 2012 Oct 17.

[Continuous glucose monitoring by intravenous microdialysis: influence of membrane length and dialysis flow rate.](#)

Rooyackers O, Blixt C, Mattsson P, Wernerman J.
Acta Anaesthesiol Scand. 2013 Feb;57(2):214-9. doi: 10.1111/j.1399-6576.2012.02787.x. Epub 2012 Oct 17.

[Evaluating the effects of extended cold ischemia on interstitial metabolite in grafts in kidney transplantation using microdialysis.](#)

Fonouni H, Jarahian P, Rad MT, Golriz M, Faridar A, Esmaeilzadeh M, Hafezi M, Macher-Goeppinger S, Longerich T, Orakcioglu B, Sakowitz OW, Garoussi C, Mehrabi A.
Langenbecks Arch Surg. 2013 Jan;398(1):87-97. doi: 10.1007/s00423-012-1010-0. Epub 2012 Oct 16.

[Characterization of basal and morphine-induced uridine release in the striatum: an in vivo microdialysis study in mice.](#)

Song W, Wu CF, Liu P, Xiang RW, Wang F, Dong YX, Yang JY.
Neurochem Res. 2013 Jan;38(1):153-61. doi: 10.1007/s11064-012-0903-1. Epub 2012 Oct 16.

[Hippocampal glutamate level and glutamate aspartate transporter \(GLAST\) are up-regulated in senior rat associated with isoflurane-induced spatial learning/memory impairment.](#)

Qu X, Xu C, Wang H, Xu J, Liu W, Wang Y, Jia X, Xie Z, Xu Z, Ji C, Wu A, Yue Y.
Neurochem Res. 2013 Jan;38(1):59-73. doi: 10.1007/s11064-012-0889-8. Epub 2012 Oct 16.

[Pilot investigation on long-term subcutaneous microdialysis: proof of principle in humans.](#)

Simmel F, Kirbs C, Erdogan Z, Lackner E, Zeitlinger M, Kloft C.
AAPS J. 2013 Jan;15(1):95-103. doi: 10.1208/s12248-012-9412-z. Epub 2012 Oct 13.

[Aquaporin-4 deficiency attenuates opioid dependence through suppressing glutamate transporter-1 down-regulation and maintaining glutamate homeostasis.](#)

Yan HT, Wu N, Lu XQ, Su RB, Zheng JQ, Li J.
CNS Neurosci Ther. 2013 Jan;19(1):12-9. doi: 10.1111/cns.12012. Epub 2012 Oct 11.

[Amphetamine locomotor sensitization is accompanied with an enhanced high K⁺-stimulated Dopamine release in the rat medial prefrontal cortex.](#)

Casanova JP, Velis GP, Fuentealba JA.
Behav Brain Res. 2013 Jan 15;237:313-7. doi: 10.1016/j.bbr.2012.09.052. Epub 2012 Oct 6.

[Increased astrocytic ATP release results in enhanced excitability of the hippocampus.](#)

Lee HU, Yamazaki Y, Tanaka KF, Furuya K, Sokabe M, Hida H, Takao K, Miyakawa T, Fujii S, Ikenaka K.
Glia. 2013 Feb;61(2):210-24. doi: 10.1002/glia.22427. Epub 2012 Sep 27.

[Cerebral energy metabolism during induced mitochondrial dysfunction.](#)

Nielsen TH, Bindsvlev TT, Pedersen SM, Toft P, Olsen NV, Nordström CH.
Acta Anaesthesiol Scand. 2013 Feb;57(2):229-35. doi: 10.1111/j.1399-6576.2012.02783.x. Epub 2012 Sep 28.